



先天性甲状腺機能低下症




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
1	54,891	761	52	69	121	35	1.38638	0.09473	0.1257	0.22043	1:1568	28.93
3	19,159	439	23	44	67	20	2.29135	0.12004	0.22965	0.3497	1:958	29.85
6	8,759	147	3	12	15	4	1.67827	0.03425	0.137	0.17125	1:2190	26.67
7	11,652	71	7	4	11	4	0.60933	0.06007	0.03432	0.0944	1:2913	36.36
8	14,660	193	108	25	133	12	1.3165	0.73669	0.17053	0.90723	1:1222	9.02
10	13,710	158	5	23	28	20	1.15244	0.03646	0.16776	0.20423	1:686	71.43
12	11,270	148	2	9	11	3	1.31322	0.01774	0.07985	0.0976	1:3757	27.27
13	89,550	363	43	23	66	32	0.40536	0.04801	0.02568	0.0737	1:2798	48.48
14	39,815	318	12	15	27	21	0.79869	0.03013	0.03767	0.06781	1:1896	77.78
17	58,597	2,146	32	170	202	-	3.6623	0.05461	0.29011	0.34472	-	-
18	41,136	443	9	18	27	20	1.07691	0.02187	0.04375	0.06563	1:2057	74.07
20	12,480	94	4	8	12	9	0.7532	0.03205	0.0641	0.09615	1:1387	75
21	10,798	144	6	18	24	-	1.33358	0.05556	0.16669	0.22226	-	-
22	6,680	38	3	2	5	0	0.56886	0.04491	0.02994	0.07485	-	0
23	13,548	115	3	7	10	7	0.84883	0.02214	0.05166	0.07381	1:1935	70
24	66,779	994	26	83	109	-	1.48849	0.03893	0.12429	0.16322	-	-
25	6,683	114	2	21	23	9	1.70582	0.02992	0.31423	0.34415	1:743	39.13
27	8,444	144	2	9	11	4	1.70535	0.02368	0.10658	0.13027	1:2111	36.36
28	17,318	154	4	5	9	2	0.88924	0.02309	0.02887	0.05196	1:8659	22.22
29	22,886	332	13	20	33	10	1.45066	0.0568	0.08738	0.14419	1:2289	30.3
30	9,489	146	4	13	17	8	1.53862	0.04215	0.137	0.17915	1:1186	47.06
31	24,766	566	16	15	31	16	2.28539	0.0646	0.06056	0.12517	1:1548	51.61
32	4,702	53	2	3	5	4	1.12717	0.04253	0.0638	0.10633	1:1176	80
36	12,425	77	3	1	4	2	0.61971	0.02414	0.00804	0.03219	1:6213	50
37	7,905	156	1	14	15	6	1.97343	0.01265	0.1771	0.18975	1:1318	40
38	5,357	73	1	7	8	2	1.3627	0.01866	0.13067	0.14933	1:2679	25
40	38,816	402	33	37	70	28	1.03565	0.08501	0.09532	0.18033	1:1386	40
42	6,204	116	3	7	10	3	1.86976	0.04835	0.11283	0.16118	1:2068	30
49	12,337	338	3	18	21	15	2.73972	0.02431	0.1459	0.17021	1:822	71.43
54	56,321	354	25	41	66	27	0.62853	0.04438	0.07279	0.11718	1:2086	40.91
66	22,049	292	11	36	47	18	1.32432	0.04988	0.16327	0.21316	1:1225	38.3
69	13,731	103	7	16	23	1	0.75012	0.05097	0.11652	0.1675	1:13731	4.35
71	15,754	245	5	14	19	5	1.55516	0.03173	0.08886	0.1206	1:3151	26.32
78	47,033	1,159	22	77	99	34	2.46422	0.04677	0.16371	0.21049	1:1383	34.34
82	27,685	313	6	43	49	21	1.13057	0.02167	0.15531	0.17699	1:1318	42.86
全体	833,389	11,709	501	927	1,428	402	1.40498	0.06011	0.11123	0.17134	1:2073	28.15
						max	3.6623	0.73669	0.31423	0.90723		80
						min	0.40536	0.01265	0.00804	0.03219		0




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
1	54,891	633	17	165	182	2	1.15319	0.03097	0.30059	0.33156	1:27446	1.1
3	19,159	290	3	1	4	3	1.51364	0.01565	0.00521	0.02087	1:6386	75
6	8,759	63	2	3	5	2	0.71926	0.02283	0.03425	0.05708	1:4380	40
7	11,652	73	7	6	13	0	0.6265	0.06007	0.05149	0.11156	-	0
8	14,660	155	0	3	3	0	1.05729	-	0.02046	0.02046	-	0
10	13,710	163	1	4	5	0	1.18891	0.00729	0.02917	0.03646	-	0
12	11,270	87	2	3	5	0	0.77196	0.01774	0.02661	0.04436	-	0
13	89,550	24	1	7	8	2	0.0268	0.00111	0.00781	0.00893	1:44775	25
14	39,815	26	2	1	3	3	0.0653	0.00502	0.00251	0.00753	1:13272	100
17	58,597	717	4	64	68	-	1.22361	0.00682	0.10922	0.11604	-	-
18	41,136	443	1	4	5	1	1.07691	0.00243	0.00972	0.01215	1:41136	20
20	12,480	108	2	5	7	2	0.86538	0.01602	0.04006	0.05608	1:6240	28.57
21	10,798	152	0	4	4	-	1.40766	-	0.03704	0.03704	-	-
22	6,680	58	2	7	9	0	0.86826	0.02994	0.10479	0.13473	-	0
23	13,548	57	1	13	14	0	0.42072	0.00738	0.09595	0.10333	-	0
24	66,779	146	4	1	5	-	0.21863	0.00598	0.00149	0.00748	-	-
25	6,683	77	1	2	3	-	1.15217	0.01496	0.02992	0.04489	-	-
27	8,444	20	0	0	0	0	0.23685	-	-	-	-	-
28	17,318	209	4	2	6	2	1.20683	0.02309	0.01154	0.03464	1:8659	33.33
29	22,886	249	0	10	10	0	1.088	-	0.04369	0.04369	-	0
30	9,489	97	11	32	43	1	1.02223	0.11592	0.33723	0.45315	1:9489	2.33
31	24,766	250	4	0	4	4	1.00944	0.01615	-	0.01615	1:6192	100
32	4,702	23	4	7	11	1	0.48915	0.08507	0.14887	0.23394	1:4702	9.09
36	12,425	87	2	1	3	1	0.7002	0.01609	0.00804	0.02414	1:12425	33.33
37	7,905	106	1	2	3	1	1.34092	0.01265	0.0253	0.03795	1:7905	33.33
38	5,357	56	0	1	1	-	1.04536	-	0.01866	0.01866	-	-
40	38,816	436	4	72	76	2	1.12324	0.0103	0.18549	0.19579	1:19408	2.63
42	6,204	11	1	0	1	1	0.1773	0.01611	-	0.01611	1:6204	100
49	12,337	127	1	2	3	1	1.02942	0.0081	0.01621	0.02431	1:12337	33.33
54	56,321	120	21	13	34	1	0.21306	0.03728	0.02308	0.06036	1:56321	2.94
66	22,049	114	1	11	12	3	0.51703	0.00453	0.04988	0.05442	1:7350	25
69	13,731	1	0	0	0	0	0.00728	-	-	-	-	-
71	15,754	136	2	0	2	2	0.86327	0.01269	-	0.01269	1:7877	100
78	47,033	469	3	16	19	1	0.99717	0.00637	0.03401	0.04039	1:47033	5.26
82	27,685	328	3	21	24	1	1.18475	0.01083	0.07585	0.08668	1:27685	4.17
全体	833,389	6,111	112	483	595	37	0.73327	0.01343	0.05795	0.07139	1:22524	6.22
						max	1.51364	0.11592	0.33723	0.45315		100
						min	0.00728	0.00111	0.00149	0.00748		0


ガラクトース血症



機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
1	54,891	170	0	8	8	0	0.3097	-	0.01457	0.01457	-	0
3	19,159	216	9	17	26	0	1.1274	0.04697	0.08873	0.1357	-	0
6	8,759	69	1	2	3	-	0.78776	0.01141	0.02283	0.03425	-	-
7	11,652	58	0	5	5	0	0.49776	-	0.04291	0.04291	-	0
8	14,660	57	2	3	5	1	0.38881	0.01364	0.02046	0.0341	1:14660	20
10	13,710	89	1	3	4	0	0.64916	0.00729	0.02188	0.02917	-	0
12	11,270	48	0	0	0	0	0.4259	-	-	-	-	-
13	89,550	12	1	0	1	1	0.0134	0.00111	-	0.00111	1:89550	100
14	39,815	319	9	7	16	0	0.8012	0.0226	0.01758	0.04018	-	0
17	58,597	521	0	32	32	-	0.88912	-	0.05461	0.05461	-	-
18	41,136	297	2	1	3	0	0.72199	0.00486	0.00243	0.00729	-	0
20	12,480	113	0	7	7	1	0.90544	-	0.05608	0.05608	1:12480	14.29
21	10,798	240	0	5	5	-	2.22263	-	0.0463	0.0463	-	-
22	6,680	61	0	0	0	-	0.91317	-	-	-	-	-
23	13,548	45	0	1	1	0	0.33215	-	0.00738	0.00738	-	0
24	66,779	437	3	16	19	-	0.65439	0.00449	0.02395	0.02845	-	-
25	6,683	34	0	2	2	-	0.50875	-	0.02992	0.02992	-	-
27	8,444	40	0	0	0	0	0.4737	-	-	-	-	-
28	17,318	125	1	2	3	1	0.72179	0.00577	0.01154	0.01732	1:17318	33.33
29	22,886	55	1	1	2	1	0.24032	0.00436	0.00436	0.00873	1:22886	50
30	9,489	34	0	5	5	-	0.3583	-	0.05269	0.05269	-	-
31	24,766	43	1	0	1	0	0.17362	0.00403	-	0.00403	-	0
32	4,702	19	0	1	1	0	0.40408	-	0.02126	0.02126	-	0
36	12,425	39	0	2	2	0	0.31388	-	0.01609	0.01609	-	0
37	7,905	34	0	1	1	1	0.4301	-	0.01265	0.01265	1:7905	100
38	5,357	20	0	1	1	-	0.37334	-	0.01866	0.01866	-	-
40	38,816	33	0	3	3	1	0.08501	-	0.00772	0.00772	1:38816	33.33
42	6,204	51	0	3	3	0	0.82205	-	0.04835	0.04835	-	0
49	12,337	70	0	5	5	0	0.56739	-	0.04052	0.04052	-	0
54	56,321	14	1	1	2	0	0.02485	0.00177	0.00177	0.00355	-	0
66	22,049	42	0	4	4	0	0.19048	-	0.01814	0.01814	-	0
69	13,731	11	0	2	2	0	0.08011	-	0.01456	0.01456	-	0
71	15,754	30	0	3	3	-	0.19042	-	0.01904	0.01904	-	-
78	47,033	153	3	10	13	1	0.3253	0.00637	0.02126	0.02764	1:47033	7.69
82	27,685	170	1	20	21	4	0.61405	0.00361	0.07224	0.07585	1:6921	19.05
全体	833,389	3,769	36	173	209	12	0.45224	0.00431	0.02075	0.02507	1:69449	5.74
						max	2.22263	0.04697	0.08873	0.1357		100
						min	0.0134	0.00111	0.00177	0.00111		0



機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
1	54,891	130	9	9	18	6	0.23683	0.01639	0.01639	0.03279	1:9149	33.33
3	19,159	85	11	6	17	3	0.44365	0.05741	0.03131	0.08873	1:6386	17.65
6	8,759	27	2	1	3	1	0.30825	0.02283	0.01141	0.03425	1:8759	33.33
7	11,652	25	2	2	4	1	0.21455	0.01716	0.01716	0.03432	1:11652	25
8	14,660	46	2	6	8	2	0.31377	0.01364	0.04092	0.05457	1:7330	25
10	13,710	13	2	3	5	3	0.09482	0.01458	0.02188	0.03646	1:4570	60
12	11,270	17	2	4	6	0	0.15084	0.01774	0.03549	0.05323	-	0
13	89,550	104	14	12	26	14	0.11613	0.01563	0.0134	0.02903	1:6396	53.85
14	39,815	67	9	8	17	4	0.16827	0.0226	0.02009	0.04269	1:9954	23.53
17	58,597	247	7	15	22	-	0.42152	0.01194	0.02559	0.03754	-	-
18	41,136	160	7	6	13	2	0.38895	0.01701	0.01458	0.0316	1:20568	15.38
20	12,480	30	2	5	7	3	0.24038	0.01602	0.04006	0.05608	1:4160	42.86
21	10,798	32	6	5	11	-	0.29635	0.05556	0.0463	0.10187	-	-
22	6,680	4	1	2	3	1	0.05988	0.01497	0.02994	0.04491	1:6680	33.33
23	13,548	17	1	2	3	1	0.12547	0.00738	0.01476	0.02214	1:13548	33.33
24	66,779	195	27	26	53	-	0.292	0.04043	0.03893	0.07936	-	-
25	6,683	20	3	3	6	2	0.29926	0.04489	0.04489	0.08978	1:3342	33.33
27	8,444	35	1	3	4	2	0.41449	0.01184	0.03552	0.04737	1:4222	50
28	17,318	65	3	2	5	1	0.37533	0.01732	0.01154	0.02887	1:17318	20
29	22,886	76	4	5	9	2	0.33208	0.01747	0.02184	0.03932	1:11443	22.22
30	9,489	26	2	17	19	1	0.274	0.02107	0.17915	0.20023	1:9489	5.26
31	24,766	45	10	3	13	2	0.1817	0.04037	0.01211	0.05249	1:12383	15.38
32	4,702	33	4	6	10	0	0.70182	0.08507	0.1276	0.21267	-	0
36	12,425	9	1	2	3	1	0.07243	0.00804	0.01609	0.02414	1:12425	33.33
37	7,905	42	2	0	2	0	0.5313	0.0253	-	0.0253	-	0
38	5,357	2	2	0	2	2	0.03733	0.03733	-	0.03733	1:2679	100
40	38,816	81	5	15	20	3	0.20867	0.01288	0.03864	0.05152	1:12939	15
42	6,204	15	1	2	3	1	0.24177	0.01611	0.03223	0.04835	1:6204	33.33
49	12,337	29	0	3	3	0	0.23506	-	0.02431	0.02431	-	0
54	56,321	132	5	16	21	2	0.23437	0.00887	0.0284	0.03728	1:28161	9.52
66	22,049	24	8	6	14	5	0.10884	0.03628	0.02721	0.06349	1:4410	35.71
69	13,731	43	1	7	8	1	0.31316	0.00728	0.05097	0.05826	1:13731	12.5
71	15,754	83	12	8	20	4	0.52685	0.07617	0.05078	0.12695	1:3939	20
78	47,033	111	11	19	30	7	0.236	0.02338	0.04039	0.06378	1:6719	23.33
82	27,685	55	6	5	11	3	0.19866	0.02167	0.01806	0.03973	1:9228	27.27
全体	833,389	2,125	185	234	419	80	0.25498	0.02219	0.02807	0.05027	1:10417	19.09
						max	0.70182	0.08507	0.17915	0.21267		100
						min	0.03733	0.00728	0.01141	0.02214		0



機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
1	54,891	1,694	78	251	329	43	3.08611	0.14209	0.45726	0.59936	1:1277	13.07
3	19,159	1,030	46	68	114	26	5.37606	0.24009	0.35492	0.59502	1:737	22.81
6	8,759	306	8	18	26	7	3.49354	0.09133	0.2055	0.29683	1:1251	26.92
7	11,652	227	16	17	33	5	1.94816	0.13731	0.14589	0.28321	1:2330	15.15
8	14,660	451	112	37	149	15	3.07639	0.76398	0.25238	1.01637	1:977	10.07
10	13,710	423	9	33	42	23	3.08533	0.06564	0.2407	0.30634	1:596	54.76
12	11,270	300	6	16	22	3	2.66193	0.05323	0.14196	0.1952	1:3757	13.64
13	89,550	503	59	42	101	49	0.56169	0.06588	0.0469	0.11278	1:1828	48.51
14	39,815	730	32	31	63	28	1.83347	0.08037	0.07786	0.15823	1:1422	44.44
17	58,597	3,631	43	281	324	-	6.19656	0.07338	0.47954	0.55292	-	-
18	41,136	1,343	19	29	48	23	3.26478	0.04618	0.07049	0.11668	1:1789	47.92
20	12,480	345	8	25	33	15	2.76442	0.0641	0.20032	0.26442	1:832	45.45
21	10,798	568	12	32	44	-	5.26023	0.11113	0.29635	0.40748	-	-
22	6,680	161	6	11	17	1	2.41017	0.08982	0.16467	0.25449	1:6680	5.88
23	13,548	234	5	23	28	8	1.72719	0.0369	0.16976	0.20667	1:1694	28.57
24	66,779	1,772	60	126	186	-	2.65352	0.08984	0.18868	0.27853	-	-
25	6,683	245	6	28	34	11	3.66601	0.08978	0.41897	0.50875	1:608	32.35
27	8,444	239	3	12	15	6	2.83041	0.03552	0.14211	0.17764	1:1407	40
28	17,318	553	12	11	23	6	3.1932	0.06929	0.06351	0.1328	1:2886	26.09
29	22,886	712	18	36	54	13	3.11107	0.07865	0.1573	0.23595	1:1760	24.07
30	9,489	303	17	67	84	10	3.19317	0.17915	0.70608	0.88523	1:949	11.9
31	24,766	904	31	18	49	22	3.65016	0.12517	0.07268	0.19785	1:1126	44.9
32	4,702	128	10	17	27	5	2.72224	0.21267	0.36154	0.57422	1:940	18.52
36	12,425	212	6	6	12	4	1.70623	0.04828	0.04828	0.09657	1:3106	33.33
37	7,905	338	4	17	21	8	4.27577	0.0506	0.21505	0.26565	1:988	38.1
38	5,357	151	3	9	12	4	2.81874	0.056	0.168	0.224	1:1339	33.33
40	38,816	952	42	127	169	34	2.45259	0.1082	0.32718	0.43538	1:1142	20.12
42	6,204	193	5	12	17	5	3.11089	0.08059	0.19342	0.27401	1:1241	29.41
49	12,337	564	4	28	32	16	4.57161	0.03242	0.22695	0.25938	1:771	50
54	56,321	620	52	71	123	30	1.10083	0.09232	0.12606	0.21839	1:1877	24.39
66	22,049	472	20	57	77	26	2.14068	0.0907	0.25851	0.34922	1:848	33.77
69	13,731	158	8	25	33	2	1.15068	0.05826	0.18206	0.24033	1:6866	6.06
71	15,754	494	19	25	44	11	3.13571	0.1206	0.15868	0.27929	1:1432	25
78	47,033	1,892	39	122	161	43	4.0227	0.08292	0.25939	0.34231	1:1094	26.71
82	27,685	866	16	89	105	29	3.12804	0.05779	0.32147	0.37926	1:955	27.62
全体	833,389	23,714	834	1,817	2,651	531	2.84548	0.10007	0.21802	0.31809	1:1569	20.03
						max	6.19656	0.76398	0.70608	1.01637		54.76
						min	0.56169	0.03242	0.0469	0.09657		5.88