







全施設集計結果	項目	再採血数	即精検数	再採血後精検数	総精検数	発見患者数	再採血率	即精検率	再採血後精検率	総精検率	発見頻度	陽性適中率
フェニルケトン尿症	Phe	164	9	50	59	20	0.01967	0.00107	0.00599	0.00707	1:41669	33.9
メーブルシロップ尿症	Leu+Ile	203	2	3	5	0	0.02435	0.00023	0.00035	0.00059	-	0
ホモシスチン尿症	Met	43	3	19	22	3	0.00515	0.00035	0.00227	0.00263	1:277796	13.64
シトルリン血症Ⅰ型	Cit	46	6	21	27	2	0.00551	0.00071	0.00251	0.00323	1:416695	7.41
アルギニノコハク酸尿症						1					1:833389	3.7
プロピオン酸血症	C3,C3/C2	229	21	16	37	11	0.02747	0.00251	0.00191	0.00443	1:75763	29.73
メチルマロン酸血症						8					1:104174	21.62
イソ吉草酸血症	C5	371	4	4	8	1	0.04451	0.00047	0.00047	0.00095	1:833389	12.5
メチルクロトニルグリシン尿症	C5-OH	73	15	61	76	5	0.00875	0.00179	0.00731	0.00911	1:166678	6.58
ヒドロキシメチルグルタル酸血症						0					-	0
複合カルボキシラーゼ欠損症						2					1:416695	2.63
グルタル酸尿症Ⅰ型	C5-DC	294	1	11	12	1	0.03527	0.00011	0.00131	0.00143	1:833389	8.33
MCAD欠損症	C8	32	24	5	29	6	0.00383	0.00287	0.00059	0.00347	1:138898	20.69
VLCAD欠損症	C14:1	147	53	3	56	10	0.01763	0.00635	0.00035	0.00671	1:83339	17.86
三頭酵素欠損症	C16-OH	5	4	1	5	0	0.00059	0.00047	0.00011	0.00059	-	0
CPT1欠損症	C0/(C16+C18)	17	1	8	9	0	0.00203	0.00011	0.00095	0.00107	-	0
CPT2欠損症	(C16+C18:1)/C	36	33	3	36	2	0.00431	0.00395	0.00035	0.00431	1:416695	5.56
CACT欠損症	2,C14/C3					0					-	0
全体	833,389	1,660	176	205	381	72	0.19918	0.02111	0.02459	0.04571	1:11575	18.9




全施設集計結果	項目	再採血数	即精検数	再採血後精検数	総精検数	発見患者数	再採血率	即精検率	再採血後精検率	総精検率	発見頻度	陽性適中率
シトリン欠損症	Cit	47	2	8	10	7	0.00563	0.00023	0.00095	0.00119	1:119056	70
β-ケトチオラーゼ欠損症	C5-OH	5	1	0	1	0	0.00059	0.00011	-	0.00011	-	0
グルタル酸尿症Ⅱ型	C8	15	12	1	13	0	0.00179	0.00143	0.00011	0.00155	-	0
カルニチントランスポーター異常症 (全身性カルニチン欠乏症)	C0	384	1	20	21	1	0.04607	0.00011	0.00239	0.00251	1:833389	4.76
全体		833,389	451	29	45	8	0.05411	0.00191	0.00347	0.00539	1:104174	17.78



機器No.	検体数	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
1	54,891	130	9	9	18	5	0.23683	0.01639	0.01639	0.03279	1:10978	27.78
3	19,159	50	9	6	15	3	0.26097	0.04697	0.03131	0.07829	1:6386	20
6	8,759	24	2	0	2	1	0.274	0.02283	-	0.02283	1:8759	50
7	11,652	11	2	2	4	1	0.0944	0.01716	0.01716	0.03432	1:11652	25
8	14,660	32	1	6	7	2	0.21828	0.00682	0.04092	0.04774	1:7330	28.57
10	13,710	10	2	2	4	3	0.07293	0.01458	0.01458	0.02917	1:4570	75
12	11,270	15	2	4	6	0	0.13309	0.01774	0.03549	0.05323	-	0
13	89,550	104	13	12	25	14	0.11613	0.01451	0.0134	0.02791	1:6396	56
14	39,815	52	9	7	16	4	0.1306	0.0226	0.01758	0.04018	1:9954	25
17	58,597	177	7	15	22	-	0.30206	0.01194	0.02559	0.03754	-	-
18	41,136	96	7	4	11	2	0.23337	0.01701	0.00972	0.02674	1:20568	18.18
20	12,480	30	2	5	7	2	0.24038	0.01602	0.04006	0.05608	1:6240	28.57
21	10,798	32	6	5	11	-	0.29635	0.05556	0.0463	0.10187	-	-
22	6,680	4	1	2	3	1	0.05988	0.01497	0.02994	0.04491	1:6680	33.33
23	13,548	17	1	2	3	1	0.12547	0.00738	0.01476	0.02214	1:13548	33.33
24	66,779	153	23	24	47	-	0.22911	0.03444	0.03593	0.07038	-	-
25	6,683	15	3	3	6	2	0.22445	0.04489	0.04489	0.08978	1:3342	33.33
27	8,444	29	1	2	3	1	0.34343	0.01184	0.02368	0.03552	1:8444	33.33
28	17,318	65	3	2	5	1	0.37533	0.01732	0.01154	0.02887	1:17318	20
29	22,886	39	4	5	9	2	0.1704	0.01747	0.02184	0.03932	1:11443	22.22
30	9,489	19	2	14	16	-	0.20023	0.02107	0.14753	0.16861	-	-
31	24,766	45	10	3	13	2	0.1817	0.04037	0.01211	0.05249	1:12383	15.38
32	4,702	6	4	0	4	0	0.1276	0.08507	-	0.08507	-	0
36	12,425	9	1	2	3	1	0.07243	0.00804	0.01609	0.02414	1:12425	33.33
37	7,905	32	2	0	2	0	0.4048	0.0253	-	0.0253	-	0
38	5,357	2	2	0	2	2	0.03733	0.03733	-	0.03733	1:2679	100
40	38,816	54	5	12	17	3	0.13911	0.01288	0.03091	0.04379	1:12939	17.65
42	6,204	19	1	2	3	0	0.30625	0.01611	0.03223	0.04835	-	0
49	12,337	29	0	3	3	0	0.23506	-	0.02431	0.02431	-	0
54	56,321	131	5	15	20	2	0.23259	0.00887	0.02663	0.03551	1:28161	10
66	22,049	24	8	5	13	5	0.10884	0.03628	0.02267	0.05895	1:4410	38.46
69	13,731	37	3	6	9	1	0.26946	0.02184	0.04369	0.06554	1:13731	11.11
71	15,754	44	10	3	13	3	0.27929	0.06347	0.01904	0.08251	1:5251	23.08
78	47,033	96	11	20	31	6	0.20411	0.02338	0.04252	0.06591	1:7839	19.35
82	27,685	28	5	3	8	2	0.10113	0.01806	0.01083	0.02889	1:13843	25
全体	833,389	1,660	176	205	381	72	0.19918	0.02111	0.02459	0.04571	1:11574	18.9
						max	0.4048	0.08507	0.14753	0.16861		100
						min	0.03733	0.00682	0.00972	0.02214		0
						average	0.20107	0.0249	0.02967	0.05047	1:10279	26.55



機器No.	検体数	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
1	54,891	0	0	0	0	1	-	-	-	-	1:54891	-
3	19,159	35	2	0	2	0	0.18268	0.01043	-	0.01043	-	0
6	8,759	7	0	0	0	-	0.07991	-	-	-	-	-
7	11,652	14	0	0	0	0	0.12015	-	-	-	-	-
8	14,660	7	1	0	1	0	0.04774	0.00682	-	0.00682	-	0
10	13,710	3	0	1	1	0	0.02188	-	0.00729	0.00729	-	0
12	11,270	2	0	0	0	0	0.01774	-	-	-	-	-
13	89,550	0	1	0	1	-	-	0.00111	-	0.00111	-	-
14	39,815	1	0	1	1	0	0.00251	-	0.00251	0.00251	-	0
17	58,597	70	0	0	0	-	0.11946	-	-	-	-	-
18	41,136	67	0	2	2	-	0.16287	-	0.00486	0.00486	-	-
20	12,480	4	0	0	0	0	0.03205	-	-	-	-	-
21	10,798	0	0	0	0	-	-	-	-	-	-	-
22	6,680	0	0	0	0	-	-	-	-	-	-	-
23	13,548	0	0	0	0	1	-	-	-	-	1:13548	-
24	66,779	16	4	2	6	-	0.02395	0.00598	0.00299	0.00898	-	-
25	6,683	5	0	0	0	-	0.07481	-	-	-	-	-
27	8,444	6	0	1	1	1	0.07105	-	0.01184	0.01184	1:8444	100
28	17,318	0	0	0	0	-	-	-	-	-	-	-
29	22,886	37	0	0	0	0	0.16167	-	-	-	-	-
30	9,489	7	0	3	3	1	0.07376	-	0.03161	0.03161	1:9489	33.33
31	24,766	0	0	0	0	-	-	-	-	-	-	-
32	4,702	27	0	6	6	0	0.57422	-	0.1276	0.1276	-	0
36	12,425	0	0	0	0	-	-	-	-	-	-	-
37	7,905	10	0	0	0	-	0.1265	-	-	-	-	-
38	5,357	0	0	0	0	-	-	-	-	-	-	-
40	38,816	27	0	3	3	-	0.06955	-	0.00772	0.00772	-	-
42	6,204	0	1	0	1	1	-	0.01611	-	0.01611	1:6204	100
49	12,337	0	0	0	0	-	-	-	-	-	-	-
54	56,321	1	0	1	1	0	0.00177	-	0.00177	0.00177	-	0
66	22,049	0	1	1	2	0	-	0.00453	0.00453	0.00907	-	0
69	13,731	15	1	1	2	0	0.10924	0.00728	0.00728	0.01456	-	0
71	15,754	39	2	5	7	1	0.24755	0.01269	0.03173	0.04443	1:15754	14.29
78	47,033	23	0	0	0	1	0.0489	-	-	-	1:47033	-
82	27,685	28	3	2	5	1	0.10113	0.01083	0.00722	0.01806	1:27685	20
全体	833,389	451	16	29	45	8	0.05411	0.00191	0.00347	0.00539	1:104173	17.78
						max	0.57422	0.01611	0.1276	0.1276		100
						min	0.00177	0.00111	0.00177	0.00111		0
						average	0.10744	0.00842	0.01915	0.0191	1:22881	20.59



機器No.	検体数	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
1	54,891	130	9	9	18	6	0.23683	0.01639	0.01639	0.03279	1:9149	33.33
3	19,159	85	11	6	17	3	0.44365	0.05741	0.03131	0.08873	1:6386	17.65
6	8,759	27	2	1	3	1	0.30825	0.02283	0.01141	0.03425	1:8759	33.33
7	11,652	25	2	2	4	1	0.21455	0.01716	0.01716	0.03432	1:11652	25
8	14,660	46	2	6	8	2	0.31377	0.01364	0.04092	0.05457	1:7330	25
10	13,710	13	2	3	5	3	0.09482	0.01458	0.02188	0.03646	1:4570	60
12	11,270	17	2	4	6	0	0.15084	0.01774	0.03549	0.05323	-	0
13	89,550	104	14	12	26	14	0.11613	0.01563	0.0134	0.02903	1:6396	53.85
14	39,815	67	9	8	17	4	0.16827	0.0226	0.02009	0.04269	1:9954	23.53
17	58,597	247	7	15	22	-	0.42152	0.01194	0.02559	0.03754	-	-
18	41,136	160	7	6	13	2	0.38895	0.01701	0.01458	0.0316	1:20568	15.38
20	12,480	30	2	5	7	3	0.24038	0.01602	0.04006	0.05608	1:4160	42.86
21	10,798	32	6	5	11	-	0.29635	0.05556	0.0463	0.10187	-	-
22	6,680	4	1	2	3	1	0.05988	0.01497	0.02994	0.04491	1:6680	33.33
23	13,548	17	1	2	3	1	0.12547	0.00738	0.01476	0.02214	1:13548	33.33
24	66,779	195	27	26	53	-	0.292	0.04043	0.03893	0.07936	-	-
25	6,683	20	3	3	6	2	0.29926	0.04489	0.04489	0.08978	1:3342	33.33
27	8,444	35	1	3	4	2	0.41449	0.01184	0.03552	0.04737	1:4222	50
28	17,318	65	3	2	5	1	0.37533	0.01732	0.01154	0.02887	1:17318	20
29	22,886	76	4	5	9	2	0.33208	0.01747	0.02184	0.03932	1:11443	22.22
30	9,489	26	2	17	19	1	0.274	0.02107	0.17915	0.20023	1:9489	5.26
31	24,766	45	10	3	13	2	0.1817	0.04037	0.01211	0.05249	1:12383	15.38
32	4,702	33	4	6	10	0	0.70182	0.08507	0.1276	0.21267	-	0
36	12,425	9	1	2	3	1	0.07243	0.00804	0.01609	0.02414	1:12425	33.33
37	7,905	42	2	0	2	0	0.5313	0.0253	-	0.0253	-	0
38	5,357	2	2	0	2	2	0.03733	0.03733	-	0.03733	1:2679	100
40	38,816	81	5	15	20	3	0.20867	0.01288	0.03864	0.05152	1:12939	15
42	6,204	15	1	2	3	1	0.24177	0.01611	0.03223	0.04835	1:6204	33.33
49	12,337	29	0	3	3	0	0.23506	-	0.02431	0.02431	-	0
54	56,321	132	5	16	21	2	0.23437	0.00887	0.0284	0.03728	1:28161	9.52
66	22,049	24	8	6	14	5	0.10884	0.03628	0.02721	0.06349	1:4410	35.71
69	13,731	43	1	7	8	1	0.31316	0.00728	0.05097	0.05826	1:13731	12.5
71	15,754	83	12	8	20	4	0.52685	0.07617	0.05078	0.12695	1:3939	20
78	47,033	111	11	19	30	7	0.236	0.02338	0.04039	0.06378	1:6719	23.33
82	27,685	55	6	5	11	3	0.19866	0.02167	0.01806	0.03973	1:9228	27.27
全体	833,389	2,125	185	234	419	80	0.25498	0.02219	0.02807	0.05027	1:10417	19.09
						max	0.70182	0.08507	0.17915	0.21267		100
						min	0.03733	0.00728	0.01141	0.02214		0
						average	0.26842	0.02566	0.0357	0.05859	1:9563	26.65