







疾患名	項目	再採血数	即精検数	再採血後精検数	総精検数	発見患者数	再採血率	即精検率	再採血後精検率	総精検率	発見頻度	陽性適中率
フェニルケトン尿症	711,132	124	6	38	44	13	0.01743	0.00084	0.00534	0.00618	1:54702	29.55
メーブルシロップ尿症	711,132	111	3	5	8	1	0.0156	0.00042	0.0007	0.00112	1:711132	12.5
ホモシスチン尿症	711,132	40	4	25	29	0	0.00562	0.00056	0.00351	0.00407	-	0
シトルリン血症Ⅰ型	711,132	27	4	11	15	5	0.00379	0.00056	0.00154	0.0021	1:142226	33.33
アルギニノコハク酸尿症	711,132	27	4	11	15	0	0.00379	0.00056	0.00154	0.0021	-	0
プロピオン酸血症	711,132	306	17	23	40	10	0.04302	0.00239	0.00323	0.00562	1:71113	25
メチルマロン酸血症	711,132	306	17	23	40	1	0.04302	0.00239	0.00323	0.00562	1:711132	2.5
イソ吉草酸血症	711,132	415	4	6	10	0	0.05835	0.00056	0.00084	0.0014	-	0
メチルクロトニルグリシン尿症	711,132	62	11	39	50	2	0.00871	0.00154	0.00548	0.00703	1:355566	4
ヒドロキシメチルグルタル酸血症	711,132	62	11	39	50	0	0.00871	0.00154	0.00548	0.00703	-	0
複合カルボキシラーゼ欠損症	711,132	62	11	39	50	2	0.00871	0.00154	0.00548	0.00703	1:355566	4
グルタル酸尿症Ⅰ型	711,132	224	0	17	17	2	0.03149	-	0.00239	0.00239	1:355566	11.76
MCAD欠損症	711,132	17	17	5	22	6	0.00239	0.00239	0.0007	0.00309	1:118522	27.27
VLCAD欠損症	711,132	89	46	2	48	6	0.01251	0.00646	0.00028	0.00674	1:118522	12.5
三頭酵素欠損症	711,132	7	6	0	6	0	0.00098	0.00084	-	0.00084	-	0
CPT1欠損症	711,132	8	0	6	6	0	0.00112	-	0.00084	0.00084	-	0
CPT2欠損症	711,132	33	24	4	28	2	0.00464	0.00337	0.00056	0.00393	1:355566	7.14
全体	711,132	1,463	142	181	323	50	0.20572	0.01996	0.02545	0.04542	1:14223	15.48




疾患名	項目	再採血数	即精検数	再採血後精検数	総精検数	発見患者数	再採血率	即精検率	再採血後精検率	総精検率	発見頻度	陽性適中率
シトリン欠損症	711,132	26	0	12	12	4	0.00365	-	0.00168	0.00168	1:177783	33.33
β-ケトチオラーゼ欠損症	711,132	4	1	0	1	0	0.00056	0.00014	-	0.00014	-	0
グルタル酸尿症Ⅱ型	711,132	13	7	1	8	1	0.00182	0.00098	0.00014	0.00112	1:711132	12.5
カルニチントランスポーター異常症 (全身性カルニチン欠乏症)	711,132	292	2	13	15	1	0.04106	0.00028	0.00182	0.0021	1:711132	6.67
CACT欠損症	711,132	1	2	1	3	0	0.00014	0.00028	0.00014	0.00042	-	0
全体	711,132	336	12	27	39	6	0.04724	0.00168	0.00379	0.00548	1:118522	15.38



機器No.	検体数	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性率 (PPV)
8	11,693	14	4	6	10	1	0.11972	0.0342	0.05131	0.08552	1:11693	10
14	34,315	23	8	5	13	6	0.06702	0.02331	0.01457	0.03788	1:5719	46.15
17	48,976	144	4	20	24	0	0.29402	0.00816	0.04083	0.049	-	0
22	5,323	3	0	1	1	0	0.05635	-	0.01878	0.01878	-	0
24	60,207	166	20	27	47	-	0.27571	0.03321	0.04484	0.07806	-	-
25	5,611	13	2	0	2	1	0.23168	0.03564	-	0.03564	1:5611	50
31	21,710	72	13	3	16	2	0.33164	0.05988	0.01381	0.07369	1:10855	12.5
32	3,714	5	4	2	6	0	0.13462	0.1077	0.05385	0.16155	-	0
37	6,433	39	1	4	5	1	0.60624	0.01554	0.06217	0.07772	1:6433	20
40	34,100	83	4	6	10	1	0.2434	0.01173	0.01759	0.02932	1:34100	10
47	7,221	31	2	7	9	2	0.4293	0.02769	0.09693	0.12463	1:3611	22.22
48	7,738	17	2	5	7	2	0.21969	0.02584	0.06461	0.09046	1:3869	28.57
49	9,473	25	1	4	5	-	0.2639	0.01055	0.04222	0.05278	-	-
57	9,243	39	7	9	16	-	0.42194	0.07573	0.09737	0.1731	-	-
60	11,126	52	2	6	8	2	0.46737	0.01797	0.05392	0.0719	1:5563	25
64	10,659	11	2	2	4	0	0.10319	0.01876	0.01876	0.03752	-	0
65	4,307	7	0	0	0	-	0.16252	-	-	-	-	-
66	17,934	18	5	6	11	3	0.10036	0.02788	0.03345	0.06133	1:5978	27.27
67	6,710	13	2	1	3	2	0.19374	0.0298	0.0149	0.0447	1:3355	66.67
68	14,642	35	1	0	1	0	0.23903	0.00682	-	0.00682	-	0
69	11,082	23	1	6	7	2	0.20754	0.00902	0.05414	0.06316	1:5541	28.57
71	12,020	7	2	0	2	1	0.05823	0.01663	-	0.01663	1:12020	50
73	8,724	8	0	0	0	-	0.0917	-	-	-	-	-
75	10,047	26	1	3	4	1	0.25878	0.00995	0.02985	0.03981	1:10047	25
76	16,439	25	9	3	12	3	0.15207	0.05474	0.01824	0.07299	1:5480	25
81	39,376	60	5	14	19	3	0.15237	0.01269	0.03555	0.04825	1:13125	15.79
82	31,141	23	5	5	10	2	0.07385	0.01605	0.01605	0.03211	1:15571	20
83	48,973	62	7	6	13	2	0.1266	0.01429	0.01225	0.02654	1:24487	15.38
84	6,124	12	0	2	2	0	0.19595	-	0.03265	0.03265	-	0
86	18,550	56	4	4	8	1	0.30188	0.02156	0.02156	0.04312	1:18550	12.5
87	36,010	107	10	3	13	1	0.29713	0.02777	0.00833	0.0361	1:36010	7.69
92	81,871	97	10	12	22	3	0.11847	0.01221	0.01465	0.02687	1:27290	13.64
96	2,181	8	0	0	0	-	0.3668	-	-	-	-	-
111	47,001	128	4	9	13	8	0.27233	0.00851	0.01914	0.02765	1:5875	61.54
113	10,458	11	0	0	0	0	0.10518	-	-	-	-	-
全体	711,132	1,463	142	181	323	50	0.20572	0.01996	0.02545	0.04542	1:14222	15.48
						max	0.60624	0.1077	0.09737	0.1731		66.67
						min	0.05635	0.00682	0.00833	0.00682		0
						average	0.22115	0.02668	0.0358	0.0573	1:12308	21.2



機器No.	検体数	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性過半数 (PPV)
8	11,693	8	0	2	2	-	0.06841	-	0.0171	0.0171	-	-
14	34,315	0	1	0	1	1	-	0.00291	-	0.00291	1:34315	100
17	48,976	37	0	2	2	1	0.07554	-	0.00408	0.00408	1:48976	50
22	5,323	0	0	0	0	-	-	-	-	-	-	-
24	60,207	15	1	0	1	-	0.02491	0.00166	-	0.00166	-	-
25	5,611	4	0	0	0	0	0.07128	-	-	-	-	-
31	21,710	0	0	0	0	-	-	-	-	-	-	-
32	3,714	10	0	1	1	0	0.26925	-	0.02692	0.02692	-	0
37	6,433	6	0	0	0	0	0.09326	-	-	-	-	-
40	34,100	12	0	0	0	-	0.03519	-	-	-	-	-
47	7,221	2	1	1	2	-	0.02769	0.01384	0.01384	0.02769	-	-
48	7,738	26	0	3	3	-	0.336	-	0.03876	0.03876	-	-
49	9,473	0	0	0	0	-	-	-	-	-	-	-
57	9,243	-	-	-	0	-	-	-	-	0	-	-
60	11,126	6	0	1	1	0	0.05392	-	0.00898	0.00898	-	0
64	10,659	0	0	0	0	0	-	-	-	-	-	-
65	4,307	0	0	0	0	-	-	-	-	-	-	-
66	17,934	0	2	0	2	1	-	0.01115	-	0.01115	1:17934	50
67	6,710	3	0	0	0	-	0.0447	-	-	-	-	-
68	14,642	0	0	0	0	-	-	-	-	-	-	-
69	11,082	18	0	1	1	0	0.16242	-	0.00902	0.00902	-	0
71	12,020	17	0	0	0	-	0.14143	-	-	-	-	-
73	8,724	1	0	0	0	-	0.01146	-	-	-	-	-
75	10,047	0	0	0	0	0	-	-	-	-	-	-
76	16,439	24	1	6	7	1	0.14599	0.00608	0.03649	0.04258	1:16439	14.29
81	39,376	6	0	0	0	-	0.01523	-	-	-	-	-
82	31,141	43	3	1	4	0	0.13808	0.00963	0.00321	0.01284	-	0
83	48,973	11	0	1	1	1	0.02246	-	0.00204	0.00204	1:48973	100
84	6,124	1	0	2	2	0	0.01632	-	0.03265	0.03265	-	0
86	18,550	14	0	2	2	0	0.07547	-	0.01078	0.01078	-	0
87	36,010	67	1	4	5	0	0.18605	0.00277	0.0111	0.01388	-	0
92	81,871	0	2	0	2	1	-	0.00244	-	0.00244	1:81871	50
96	2,181	0	0	0	0	-	-	-	-	-	-	-
111	47,001	0	0	0	0	-	-	-	-	-	-	-
113	10,458	5	0	0	0	0	0.04781	-	-	-	-	-
全体	711,132	336	12	27	39	6	0.04724	0.00168	0.00379	0.00548	1:118522	15.38
						max	0.336	0.01384	0.03876	0.04258		100
						min	0.01146	0.00166	0.00204	0		0
						average	0.09377	0.00631	0.01654	0.01475	1:41418	28.02



機器No.	検体数	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性過半数 (PPV)
8	11,693	22	4	8	12	1	0.18814	0.0342	0.06841	0.10262	1:11693	8.33
14	34,315	23	9	5	14	7	0.06702	0.02622	0.01457	0.04079	1:4902	50
17	48,976	181	4	22	26	1	0.36956	0.00816	0.04491	0.05308	1:48976	3.85
22	5,323	3	0	1	1	0	0.05635	-	0.01878	0.01878	-	0
24	60,207	181	21	27	48	-	0.30062	0.03487	0.04484	0.07972	-	-
25	5,611	17	2	0	2	1	0.30297	0.03564	-	0.03564	1:5611	50
31	21,710	72	13	3	16	2	0.33164	0.05988	0.01381	0.07369	1:10855	12.5
32	3,714	15	4	3	7	0	0.40387	0.1077	0.08077	0.18847	-	0
37	6,433	45	1	4	5	1	0.69951	0.01554	0.06217	0.07772	1:6433	20
40	34,100	95	4	6	10	1	0.27859	0.01173	0.01759	0.02932	1:34100	10
47	7,221	33	3	8	11	2	0.457	0.04154	0.11078	0.15233	1:3611	18.18
48	7,738	43	2	8	10	2	0.55569	0.02584	0.10338	0.12923	1:3869	20
49	9,473	25	1	4	5	-	0.2639	0.01055	0.04222	0.05278	-	-
57	9,243	39	7	9	16	-	0.42194	0.07573	0.09737	0.1731	-	-
60	11,126	58	2	7	9	2	0.5213	0.01797	0.06291	0.08089	1:5563	22.22
64	10,659	11	2	2	4	0	0.10319	0.01876	0.01876	0.03752	-	0
65	4,307	7	0	0	0	-	0.16252	-	-	-	-	-
66	17,934	18	7	6	13	4	0.10036	0.03903	0.03345	0.07248	1:4484	30.77
67	6,710	16	2	1	3	2	0.23845	0.0298	0.0149	0.0447	1:3355	66.67
68	14,642	35	1	0	1	0	0.23903	0.00682	-	0.00682	-	0
69	11,082	41	1	7	8	2	0.36996	0.00902	0.06316	0.07218	1:5541	25
71	12,020	24	2	0	2	1	0.19966	0.01663	-	0.01663	1:12020	50
73	8,724	9	0	0	0	-	0.10316	-	-	-	-	-
75	10,047	26	1	3	4	1	0.25878	0.00995	0.02985	0.03981	1:10047	25
76	16,439	49	10	9	19	4	0.29807	0.06083	0.05474	0.11557	1:4110	21.05
81	39,376	66	5	14	19	3	0.16761	0.01269	0.03555	0.04825	1:13125	15.79
82	31,141	66	8	6	14	2	0.21193	0.02568	0.01926	0.04495	1:15571	14.29
83	48,973	73	7	7	14	3	0.14906	0.01429	0.01429	0.02858	1:16324	21.43
84	6,124	13	0	4	4	0	0.21227	-	0.06531	0.06531	-	0
86	18,550	70	4	6	10	1	0.37735	0.02156	0.03234	0.0539	1:18550	10
87	36,010	174	11	7	18	1	0.48319	0.03054	0.01943	0.04998	1:36010	5.56
92	81,871	97	12	12	24	4	0.11847	0.01465	0.01465	0.02931	1:20468	16.67
96	2,181	8	0	0	0	-	0.3668	-	-	-	-	-
111	47,001	128	4	9	13	8	0.27233	0.00851	0.01914	0.02765	1:5875	61.54
113	10,458	16	0	0	0	0	0.15299	-	-	-	-	-
全体	711,132	1,799	154	208	362	56	0.25297	0.02165	0.02924	0.0509	1:12698	15.47
						max	0.69951	0.1077	0.11078	0.18847		66.67
						min	0.05635	0.00682	0.01381	0.00682		0
						average	0.28009	0.02843	0.04348	0.06587	1:13091	20.67