






機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	2	0	1	1	-	0.0171	-	0.00855	0.00855	-	-
14	34,315	3	0	1	1	1	0.00874	-	0.00291	0.00291	1:34315	100
17	48,976	1	0	0	0	0	0.00204	-	-	-	-	-
22	5,323	0	0	0	0	0	-	-	-	-	-	-
24	60,207	40	0	13	13	-	0.06643	-	0.02159	0.02159	-	-
25	5,611	1	1	0	1	1	0.01782	0.01782	-	0.01782	1:5611	100
31	21,710	3	0	0	0	-	0.01381	-	-	-	-	-
32	3,714	0	0	0	0	0	-	-	-	-	-	-
37	6,433	3	0	1	1	0	0.04663	-	0.01554	0.01554	-	0
40	34,100	3	0	0	0	-	0.00879	-	-	-	-	-
47	7,221	10	0	6	6	2	0.13848	-	0.08309	0.08309	1:3611	33.33
48	7,738	1	0	1	1	1	0.01292	-	0.01292	0.01292	-	-
49	9,473	3	0	1	1	-	0.03166	-	0.01055	0.01055	-	-
57	9,243	0	0	0	0	-	-	-	-	-	-	-
60	11,126	0	0	0	0	0	-	-	-	-	-	-
64	10,659	1	0	0	0	0	0.00938	-	-	-	-	-
65	4,307	1	0	0	0	-	0.02321	-	-	-	-	-
66	17,934	1	1	1	2	2	0.00557	0.00557	0.00557	0.01115	1:8967	100
67	6,710	1	0	1	1	1	0.0149	-	0.0149	0.0149	1:6710	100
68	14,642	2	0	0	0	0	0.01365	-	-	-	-	-
69	11,082	3	1	1	2	1	0.02707	0.00902	0.00902	0.01804	1:11082	50
71	12,020	0	0	0	0	-	-	-	-	-	-	-
73	8,724	0	0	0	0	-	-	-	-	-	-	-
75	10,047	1	0	1	1	0	0.00995	-	0.00995	0.00995	-	0
76	16,439	1	1	0	1	1	0.00608	0.00608	-	0.00608	1:16439	100
81	39,376	10	0	4	4	1	0.02539	-	0.01015	0.01015	1:39376	25
82	31,141	0	0	0	0	0	-	-	-	-	-	-
83	48,973	7	0	1	1	0	0.01429	-	0.00204	0.00204	-	0
84	6,124	1	0	0	0	0	0.01632	-	-	-	-	-
86	18,550	4	0	1	1	0	0.02156	-	0.00539	0.00539	-	0
87	36,010	7	1	1	2	-	0.01943	0.00277	0.00277	0.00555	-	-
92	81,871	3	0	0	0	0	0.00366	-	-	-	-	-
96	2,181	0	0	0	0	-	-	-	-	-	-	-
111	47,001	11	1	3	4	3	0.0234	0.00212	0.00638	0.00851	1:15667	75
113	10,458	0	0	0	0	0	-	-	-	-	-	-
全体	711,132	124	6	38	44	13	0.01743	0.00084	0.00534	0.00618	1:54702	29.55
						max	0.13848	0.01782	0.08309	0.08309		100
						min	0.00204	0.00212	0.00204	0.00204		0




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	1	0	0	0	-	0.00855	-	-	-	-	-
14	34,315	0	0	0	0	0	-	-	-	-	-	-
17	48,976	16	0	0	0	0	0.03266	-	-	-	-	-
22	5,323	0	0	0	0	0	-	-	-	-	-	-
24	60,207	15	1	0	1	-	0.02491	0.00166	-	0.00166	-	-
25	5,611	5	0	0	0	0	0.08911	-	-	-	-	-
31	21,710	4	0	0	0	-	0.01842	-	-	-	-	-
32	3,714	0	0	0	0	0	-	-	-	-	-	-
37	6,433	0	0	0	0	0	-	-	-	-	-	-
40	34,100	8	1	0	1	1	0.02346	0.00293	-	0.00293	1:34100	100
47	7,221	4	0	0	0	-	0.05539	-	-	-	-	-
48	7,738	0	0	1	1	-	-	-	0.01292	0.01292	-	-
49	9,473	0	0	0	0	0	-	-	-	-	-	-
57	9,243	9	0	3	3	-	0.09737	-	0.03245	0.03245	-	-
60	11,126	4	0	1	1	0	0.03595	-	0.00898	0.00898	-	0
64	10,659	2	0	0	0	0	0.01876	-	-	-	-	-
65	4,307	2	0	0	0	-	0.04643	-	-	-	-	-
66	17,934	0	0	0	0	0	-	-	-	-	-	-
67	6,710	1	0	0	0	-	0.0149	-	-	-	-	-
68	14,642	3	0	0	0	0	0.02048	-	-	-	-	-
69	11,082	0	0	0	0	0	-	-	-	-	-	-
71	12,020	0	0	0	0	-	-	-	-	-	-	-
73	8,724	0	0	0	0	-	-	-	-	-	-	-
75	10,047	2	0	0	0	0	0.0199	-	-	-	-	-
76	16,439	0	0	0	0	0	-	-	-	-	-	-
81	39,376	6	0	0	0	-	0.01523	-	-	-	-	-
82	31,141	1	1	0	1	0	0.00321	0.00321	-	0.00321	-	0
83	48,973	3	0	0	0	0	0.00612	-	-	-	-	-
84	6,124	2	0	0	0	0	0.03265	-	-	-	-	-
86	18,550	0	0	0	0	0	-	-	-	-	-	-
87	36,010	5	0	0	0	0	0.01388	-	-	-	-	-
92	81,871	5	0	0	0	0	0.0061	-	-	-	-	-
96	2,181	0	0	0	0	-	-	-	-	-	-	-
111	47,001	11	0	0	0	0	0.0234	-	-	-	-	-
113	10,458	2	0	0	0	0	0.01912	-	-	-	-	-
全体	711,132	111	3	5	8	1	0.0156	0.00042	0.0007	0.00112	1:711132	12.5
						max	0.09737	0.00321	0.03245	0.03245		100
						min	0.00321	0.00166	0.00898	0.00166		0




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	0	0	-	-	-	-	-	-	-
14	34,315	0	0	0	0	0	-	-	-	-	-	-
17	48,976	4	0	8	8	-	0.00816	-	0.01633	0.01633	-	-
22	5,323	0	0	0	0	0	-	-	-	-	-	-
24	60,207	7	1	2	3	-	0.01162	0.00166	0.00332	0.00498	-	-
25	5,611	1	0	0	0	0	0.01782	-	-	-	-	-
31	21,710	2	0	1	1	-	0.00921	-	0.0046	0.0046	-	-
32	3,714	1	0	0	0	0	0.02692	-	-	-	-	-
37	6,433	0	0	0	0	0	-	-	-	-	-	-
40	34,100	2	0	1	1	-	0.00586	-	0.00293	0.00293	-	-
47	7,221	1	0	0	0	0	0.01384	-	-	-	-	-
48	7,738	0	0	0	0	0	-	-	-	-	-	-
49	9,473	0	0	0	0	0	-	-	-	-	-	-
57	9,243	2	1	2	3	-	0.02163	0.01081	0.02163	0.03245	-	-
60	11,126	4	0	1	1	0	0.03595	-	0.00898	0.00898	-	0
64	10,659	0	0	0	0	0	-	-	-	-	-	-
65	4,307	0	0	0	0	0	-	-	-	-	-	-
66	17,934	3	0	2	2	0	0.01672	-	0.01115	0.01115	-	0
67	6,710	0	0	0	0	0	-	-	-	-	-	-
68	14,642	0	0	0	0	0	-	-	-	-	-	-
69	11,082	2	0	2	2	0	0.01804	-	0.01804	0.01804	-	0
71	12,020	0	0	0	0	0	-	-	-	-	-	-
73	8,724	0	0	0	0	0	-	-	-	-	-	-
75	10,047	1	0	1	1	0	0.00995	-	0.00995	0.00995	-	0
76	16,439	2	0	0	0	0	0.01216	-	-	-	-	-
81	39,376	2	0	2	2	-	0.00507	-	0.00507	0.00507	-	-
82	31,141	1	0	0	0	0	0.00321	-	-	-	-	-
83	48,973	0	2	0	2	0	-	0.00408	-	0.00408	-	0
84	6,124	0	0	0	0	0	-	-	-	-	-	-
86	18,550	1	0	1	1	0	0.00539	-	0.00539	0.00539	-	0
87	36,010	0	0	0	0	0	-	-	-	-	-	-
92	81,871	3	0	1	1	0	0.00366	-	0.00122	0.00122	-	0
96	2,181	0	0	0	0	0	-	-	-	-	-	-
111	47,001	1	0	1	1	0	0.00212	-	0.00212	0.00212	-	0
113	10,458	0	0	0	0	0	-	-	-	-	-	-
全体	711,132	40	4	25	29	0	0.00562	0.00056	0.00351	0.00407	-	0
						max	0.03595	0.01081	0.02163	0.03245		0
						min	0.00212	0.00166	0.00122	0.00122		0

疾患別集計一覧 TMS疾患
シトルリン血症Ⅰ型：【2024年】度結果




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	0	0	-	-	-	-	-	-	-
14	34,315	0	0	0	0	0	-	-	-	-	-	-
17	48,976	10	0	5	5	-	0.02041	-	0.0102	0.0102	-	-
22	5,323	0	0	0	0	-	-	-	-	-	-	-
24	60,207	1	0	0	0	-	0.00166	-	-	-	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	-
31	21,710	0	0	0	0	-	-	-	-	-	-	-
32	3,714	0	0	0	0	0	-	-	-	-	-	-
37	6,433	0	0	0	0	0	-	-	-	-	-	-
40	34,100	0	0	0	0	-	-	-	-	-	-	-
47	7,221	1	0	0	0	-	0.01384	-	-	-	-	-
48	7,738	0	0	0	0	-	-	-	-	-	-	-
49	9,473	0	0	0	0	-	-	-	-	-	-	-
57	9,243	1	0	1	1	-	0.01081	-	0.01081	0.01081	-	-
60	11,126	0	0	0	0	0	-	-	-	-	-	-
64	10,659	0	0	0	0	0	-	-	-	-	-	-
65	4,307	0	0	0	0	-	-	-	-	-	-	-
66	17,934	1	1	1	2	1	0.00557	0.00557	0.00557	0.01115	1:17934	50
67	6,710	0	0	0	0	-	-	-	-	-	-	-
68	14,642	3	0	0	0	0	0.02048	-	-	-	-	-
69	11,082	0	0	1	1	0	-	-	0.00902	0.00902	-	0
71	12,020	0	0	0	0	-	-	-	-	-	-	-
73	8,724	2	0	0	0	-	0.02292	-	-	-	-	-
75	10,047	1	0	0	0	0	0.00995	-	-	-	-	-
76	16,439	0	1	0	1	1	-	0.00608	-	0.00608	1:16439	100
81	39,376	2	0	1	1	1	0.00507	-	0.00253	0.00253	1:39376	100
82	31,141	0	0	0	0	0	-	-	-	-	-	-
83	48,973	2	1	0	1	0	0.00408	0.00204	-	0.00204	-	0
84	6,124	0	0	0	0	0	-	-	-	-	-	-
86	18,550	0	0	0	0	0	-	-	-	-	-	-
87	36,010	0	0	0	0	0	-	-	-	-	-	-
92	81,871	0	1	0	1	0	-	0.00122	-	0.00122	-	0
96	2,181	0	0	0	0	-	-	-	-	-	-	-
111	47,001	3	0	2	2	2	0.00638	-	0.00425	0.00425	1:23501	100
113	10,458	0	0	0	0	0	-	-	-	-	-	-
全体	711,132	27	4	11	15	5	0.00379	0.00056	0.00154	0.0021	1:142226	33.33
						max	0.02292	0.00608	0.01081	0.01115		100
						min	0.00166	0.00122	0.00253	0.00122		0

疾患別集計一覧 TMS疾患
アルギニノコハク酸尿症：【2024年】度結果




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	0	0	-	-	-	-	-	-	0
14	34,315	0	0	0	0	0	-	-	-	-	-	0
17	48,976	10	0	5	5	-	0.0204	-	0.0102	0.0102	-	-
22	5,323	0	0	0	0	-	-	-	-	-	-	0
24	60,207	1	0	0	0	-	0.0016	-	-	-	-	0
25	5,611	0	0	0	0	0	-	-	-	-	-	0
31	21,710	0	0	0	0	-	-	-	-	-	-	0
32	3,714	0	0	0	0	0	-	-	-	-	-	0
37	6,433	0	0	0	0	0	-	-	-	-	-	0
40	34,100	0	0	0	0	-	-	-	-	-	-	0
47	7,221	1	0	0	0	-	0.0138	-	-	-	-	0
48	7,738	0	0	0	0	-	-	-	-	-	-	0
49	9,473	0	0	0	0	-	-	-	-	-	-	0
57	9,243	1	0	1	1	-	0.0108	-	0.0108	0.0108	-	-
60	11,126	0	0	0	0	0	-	-	-	-	-	0
64	10,659	0	0	0	0	0	-	-	-	-	-	0
65	4,307	0	0	0	0	-	-	-	-	-	-	0
66	17,934	1	1	1	2	0	0.0055	0.0055	0.0055	0.0115	-	0
67	6,710	0	0	0	0	-	-	-	-	-	-	0
68	14,642	3	0	0	0	0	0.0204	-	-	-	-	0
69	11,082	0	0	1	1	0	-	-	0.0090	0.0090	-	0
71	12,020	0	0	0	0	-	-	-	-	-	-	0
73	8,724	2	0	0	0	-	0.0229	-	-	-	-	0
75	10,047	1	0	0	0	0	0.0099	-	-	-	-	0
76	16,439	0	1	0	1	0	-	0.0060	-	0.0060	-	0
81	39,376	2	0	1	1	-	0.0050	-	0.0025	0.0025	-	-
82	31,141	0	0	0	0	0	-	-	-	-	-	0
83	48,973	2	1	0	1	0	0.0040	0.0020	-	0.0020	-	0
84	6,124	0	0	0	0	0	-	-	-	-	-	0
86	18,550	0	0	0	0	0	-	-	-	-	-	0
87	36,010	0	0	0	0	0	-	-	-	-	-	0
92	81,871	0	1	0	1	0	-	0.0012	-	0.0012	-	0
96	2,181	0	0	0	0	-	-	-	-	-	-	0
111	47,001	3	0	2	2	0	0.0063	-	0.0042	0.0042	-	0
113	10,458	0	0	0	0	0	-	-	-	-	-	0
全体	711,132	27	4	11	15	0	0.0037	0.0005	0.0015	0.0021	-	0
						max	0.0229	0.0060	0.0108	0.0115		0
						min	0.0016	0.0012	0.0025	0.0012		0

疾患別集計一覧 TMS疾患
プロピオン酸血症：【2024年】度結果




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	4	4	0	4	1	0.0342	0.0342	-	0.0342	1:11693	25
14	34,315	6	1	2	3	2	0.01748	0.00291	0.00582	0.00874	1:17158	66.67
17	48,976	10	1	1	2	-	0.02041	0.00204	0.00204	0.00408	-	-
22	5,323	1	0	0	0	-	0.01878	-	-	-	-	-
24	60,207	37	1	6	7	-	0.06145	0.00166	0.00996	0.01162	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	-
31	21,710	19	1	0	1	-	0.08751	0.0046	-	0.0046	-	-
32	3,714	3	0	1	1	0	0.08077	-	0.02692	0.02692	-	0
37	6,433	17	0	0	0	0	0.26426	-	-	-	-	-
40	34,100	18	0	2	2	-	0.05278	-	0.00586	0.00586	-	-
47	7,221	1	0	0	0	-	0.01384	-	-	-	-	-
48	7,738	0	0	0	0	0	-	-	-	-	-	-
49	9,473	7	0	0	0	-	0.07389	-	-	-	-	-
57	9,243	18	1	1	2	-	0.19474	0.01081	0.01081	0.02163	-	-
60	11,126	5	2	0	2	1	0.04493	0.01797	-	0.01797	1:11126	50
64	10,659	2	0	0	0	0	0.01876	-	-	-	-	-
65	4,307	1	0	0	0	-	0.02321	-	-	-	-	-
66	17,934	4	0	1	1	0	0.0223	-	0.00557	0.00557	-	0
67	6,710	5	1	0	1	1	0.07451	0.0149	-	0.0149	1:6710	100
68	14,642	5	0	0	0	0	0.03414	-	-	-	-	-
69	11,082	4	0	1	1	1	0.03609	-	0.00902	0.00902	1:11082	100
71	12,020	2	0	0	0	-	0.01663	-	-	-	-	-
73	8,724	2	0	0	0	-	0.02292	-	-	-	-	-
75	10,047	13	0	0	0	0	0.12939	-	-	-	-	-
76	16,439	6	0	0	0	0	0.03649	-	-	-	-	-
81	39,376	7	0	2	2	-	0.01777	-	0.00507	0.00507	-	-
82	31,141	3	1	0	1	1	0.00963	0.00321	-	0.00321	1:31141	100
83	48,973	7	1	2	3	0	0.01429	0.00204	0.00408	0.00612	-	0
84	6,124	1	0	0	0	0	0.01632	-	-	-	-	-
86	18,550	12	1	0	1	0	0.06469	0.00539	-	0.00539	-	0
87	36,010	48	0	2	2	1	0.13329	-	0.00555	0.00555	1:36010	50
92	81,871	11	2	1	3	1	0.01343	0.00244	0.00122	0.00366	1:81871	33.33
96	2,181	1	0	0	0	-	0.04585	-	-	-	-	-
111	47,001	24	0	1	1	1	0.05106	-	0.00212	0.00212	1:47001	100
113	10,458	2	0	0	0	0	0.01912	-	-	-	-	-
全体	711,132	306	17	23	40	10	0.04302	0.00239	0.00323	0.00562	1:71113	25
						max	0.26426	0.0342	0.02692	0.0342		100
						min	0.00963	0.00166	0.00122	0.00212		0

疾患別集計一覧 TMS疾患
メチルマロン酸血症：【2024年】度結果



機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	4	4	0	4	-	0.0342	0.0342	-	0.0342	-	-
14	34,315	6	1	2	3	0	0.01748	0.00291	0.00582	0.00874	-	0
17	48,976	10	1	1	2	-	0.02041	0.00204	0.00204	0.00408	-	-
22	5,323	1	0	0	0	0	0.01878	-	-	-	-	0
24	60,207	37	1	6	7	-	0.06145	0.00166	0.00996	0.01162	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	0
31	21,710	19	1	0	1	1	0.08751	0.0046	-	0.0046	1:21710	100
32	3,714	3	0	1	1	0	0.08077	-	0.02692	0.02692	-	0
37	6,433	17	0	0	0	0	0.26426	-	-	-	-	0
40	34,100	18	0	2	2	-	0.05278	-	0.00586	0.00586	-	-
47	7,221	1	0	0	0	-	0.01384	-	-	-	-	0
48	7,738	0	0	0	0	0	-	-	-	-	-	0
49	9,473	7	0	0	0	-	0.07389	-	-	-	-	0
57	9,243	18	1	1	2	-	0.19474	0.01081	0.01081	0.02163	-	-
60	11,126	5	2	0	2	0	0.04493	0.01797	-	0.01797	-	0
64	10,659	2	0	0	0	0	0.01876	-	-	-	-	0
65	4,307	1	0	0	0	-	0.02321	-	-	-	-	0
66	17,934	4	0	1	1	0	0.0223	-	0.00557	0.00557	-	0
67	6,710	5	1	0	1	-	0.07451	0.0149	-	0.0149	-	-
68	14,642	5	0	0	0	0	0.03414	-	-	-	-	0
69	11,082	4	0	1	1	0	0.03609	-	0.00902	0.00902	-	0
71	12,020	2	0	0	0	-	0.01663	-	-	-	-	0
73	8,724	2	0	0	0	-	0.02292	-	-	-	-	0
75	10,047	13	0	0	0	0	0.12939	-	-	-	-	0
76	16,439	6	0	0	0	0	0.03649	-	-	-	-	0
81	39,376	7	0	2	2	-	0.01777	-	0.00507	0.00507	-	-
82	31,141	3	1	0	1	0	0.00963	0.00321	-	0.00321	-	0
83	48,973	7	1	2	3	0	0.01429	0.00204	0.00408	0.00612	-	0
84	6,124	1	0	0	0	0	0.01632	-	-	-	-	0
86	18,550	12	1	0	1	0	0.06469	0.00539	-	0.00539	-	0
87	36,010	48	0	2	2	-	0.13329	-	0.00555	0.00555	-	-
92	81,871	11	2	1	3	0	0.01343	0.00244	0.00122	0.00366	-	0
96	2,181	1	0	0	0	-	0.04585	-	-	-	-	0
111	47,001	24	0	1	1	0	0.05106	-	0.00212	0.00212	-	0
113	10,458	2	0	0	0	0	0.01912	-	-	-	-	0
全体	711,132	306	17	23	40	1	0.04302	0.00239	0.00323	0.00562	1:711132	2.5
						max	0.26426	0.0342	0.02692	0.0342		100
						min	0.00963	0.00166	0.00122	0.00212		0


疾患別集計一覧 TMS疾患
イソ吉草酸血症：【2024年】度結果



機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	7	0	0	0	-	0.05986	-	-	-	-	-
14	34,315	7	1	0	1	0	0.02039	0.00291	-	0.00291	-	0
17	48,976	30	1	0	1	-	0.06125	0.00204	-	0.00204	-	-
22	5,323	1	0	0	0	-	0.01878	-	-	-	-	-
24	60,207	41	0	0	0	-	0.06809	-	-	-	-	-
25	5,611	6	0	0	0	0	0.10693	-	-	-	-	-
31	21,710	14	0	0	0	-	0.06448	-	-	-	-	-
32	3,714	1	0	0	0	0	0.02692	-	-	-	-	-
37	6,433	4	0	0	0	0	0.06217	-	-	-	-	-
40	34,100	17	0	0	0	-	0.04985	-	-	-	-	-
47	7,221	6	0	0	0	-	0.08309	-	-	-	-	-
48	7,738	4	0	0	0	-	0.05169	-	-	-	-	-
49	9,473	5	1	0	1	-	0.05278	0.01055	-	0.01055	-	-
57	9,243	4	1	0	1	-	0.04327	0.01081	-	0.01081	-	-
60	11,126	2	0	0	0	0	0.01797	-	-	-	-	-
64	10,659	1	0	0	0	0	0.00938	-	-	-	-	-
65	4,307	1	0	0	0	-	0.02321	-	-	-	-	-
66	17,934	7	0	0	0	0	0.03903	-	-	-	-	-
67	6,710	6	0	0	0	-	0.08941	-	-	-	-	-
68	14,642	11	0	0	0	0	0.07512	-	-	-	-	-
69	11,082	5	0	0	0	0	0.04511	-	-	-	-	-
71	12,020	3	0	0	0	-	0.02495	-	-	-	-	-
73	8,724	4	0	0	0	-	0.04585	-	-	-	-	-
75	10,047	6	0	0	0	0	0.05971	-	-	-	-	-
76	16,439	7	0	0	0	0	0.04258	-	-	-	-	-
81	39,376	17	0	0	0	-	0.04317	-	-	-	-	-
82	31,141	8	0	1	1	0	0.02568	-	0.00321	0.00321	-	0
83	48,973	9	0	0	0	0	0.01837	-	-	-	-	-
84	6,124	6	0	1	1	0	0.09797	-	0.01632	0.01632	-	0
86	18,550	33	0	1	1	0	0.17789	-	0.00539	0.00539	-	0
87	36,010	22	0	0	0	0	0.06109	-	-	-	-	-
92	81,871	54	0	2	2	0	0.06595	-	0.00244	0.00244	-	0
96	2,181	6	0	0	0	-	0.2751	-	-	-	-	-
111	47,001	57	0	1	1	0	0.12127	-	0.00212	0.00212	-	0
113	10,458	3	0	0	0	0	0.02868	-	-	-	-	-
全体	711,132	415	4	6	10	0	0.05835	0.00056	0.00084	0.0014	-	0
						max	0.2751	0.01081	0.01632	0.01632		0
						min	0.00938	0.00204	0.00212	0.00204		0

疾患別集計一覧 TMS疾患


メチルクロトニルグリシン尿症：【2024年】度結果




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	2	2	-	-	-	0.0171	0.0171	-	-
14	34,315	1	2	1	3	0	0.00291	0.00582	0.00291	0.00874	-	0
17	48,976	5	1	4	5	-	0.0102	0.00204	0.00816	0.0102	-	-
22	5,323	0	0	0	0	0	-	-	-	-	-	-
24	60,207	6	0	3	3	-	0.00996	-	0.00498	0.00498	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	-
31	21,710	5	1	1	2	-	0.02303	0.0046	0.0046	0.00921	-	-
32	3,714	0	0	1	1	0	-	-	0.02692	0.02692	-	0
37	6,433	1	0	0	0	0	0.01554	-	-	-	-	-
40	34,100	3	0	1	1	-	0.00879	-	0.00293	0.00293	-	-
47	7,221	1	0	0	0	-	0.01384	-	-	-	-	-
48	7,738	1	0	1	1	-	0.01292	-	0.01292	0.01292	-	-
49	9,473	0	0	0	0	-	-	-	-	-	-	-
57	9,243	2	0	1	1	-	0.02163	-	0.01081	0.01081	-	-
60	11,126	2	0	1	1	0	0.01797	-	0.00898	0.00898	-	0
64	10,659	0	0	2	2	0	-	-	0.01876	0.01876	-	0
65	4,307	0	0	0	0	-	-	-	-	-	-	-
66	17,934	2	0	1	1	0	0.01115	-	0.00557	0.00557	-	0
67	6,710	0	0	0	0	-	-	-	-	-	-	-
68	14,642	1	0	0	0	0	0.00682	-	-	-	-	-
69	11,082	0	0	1	1	0	-	-	0.00902	0.00902	-	0
71	12,020	0	0	0	0	-	-	-	-	-	-	-
73	8,724	0	0	0	0	-	-	-	-	-	-	-
75	10,047	2	0	1	1	0	0.0199	-	0.00995	0.00995	-	0
76	16,439	3	2	2	4	0	0.01824	0.01216	0.01216	0.02433	-	0
81	39,376	2	0	4	4	-	0.00507	-	0.01015	0.01015	-	-
82	31,141	2	0	3	3	-	0.00642	-	0.00963	0.00963	-	-
83	48,973	10	1	3	4	0	0.02041	0.00204	0.00612	0.00816	-	0
84	6,124	0	0	0	0	0	-	-	-	-	-	-
86	18,550	1	1	1	2	1	0.00539	0.00539	0.00539	0.01078	1:18550	50
87	36,010	5	0	0	0	0	0.01388	-	-	-	-	-
92	81,871	5	2	4	6	1	0.0061	0.00244	0.00488	0.00732	1:81871	16.67
96	2,181	0	0	0	0	-	-	-	-	-	-	-
111	47,001	2	1	1	2	0	0.00425	0.00212	0.00212	0.00425	-	0
113	10,458	0	0	0	0	0	-	-	-	-	-	-
全体	711,132	62	11	39	50	2	0.00871	0.00154	0.00548	0.00703	1:355566	4
						max	0.02303	0.01216	0.02692	0.02692		50
						min	0.00291	0.00204	0.00212	0.00293		0


疾患別集計一覧 TMS疾患

ヒドロキシメチルグルタル酸血症 : 【2024年】度結果




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	2	2	-	-	-	0.0171	0.0171	-	-
14	34,315	1	2	1	3	0	0.00291	0.00582	0.00291	0.00874	-	0
17	48,976	5	1	4	5	-	0.0102	0.00204	0.00816	0.0102	-	-
22	5,323	0	0	0	0	0	-	-	-	-	-	0
24	60,207	6	0	3	3	-	0.00996	-	0.00498	0.00498	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	0
31	21,710	5	1	1	2	-	0.02303	0.0046	0.0046	0.00921	-	-
32	3,714	0	0	1	1	0	-	-	0.02692	0.02692	-	0
37	6,433	1	0	0	0	0	0.01554	-	-	-	-	0
40	34,100	3	0	1	1	-	0.00879	-	0.00293	0.00293	-	-
47	7,221	1	0	0	0	-	0.01384	-	-	-	-	0
48	7,738	1	0	1	1	-	0.01292	-	0.01292	0.01292	-	-
49	9,473	0	0	0	0	0	-	-	-	-	-	0
57	9,243	2	0	1	1	-	0.02163	-	0.01081	0.01081	-	-
60	11,126	2	0	1	1	0	0.01797	-	0.00898	0.00898	-	0
64	10,659	0	0	2	2	0	-	-	0.01876	0.01876	-	0
65	4,307	0	0	0	0	-	-	-	-	-	-	0
66	17,934	2	0	1	1	0	0.01115	-	0.00557	0.00557	-	0
67	6,710	0	0	0	0	0	-	-	-	-	-	0
68	14,642	1	0	0	0	0	0.00682	-	-	-	-	0
69	11,082	0	0	1	1	0	-	-	0.00902	0.00902	-	0
71	12,020	0	0	0	0	-	-	-	-	-	-	0
73	8,724	0	0	0	0	-	-	-	-	-	-	0
75	10,047	2	0	1	1	0	0.0199	-	0.00995	0.00995	-	0
76	16,439	3	2	2	4	0	0.01824	0.01216	0.01216	0.02433	-	0
81	39,376	2	0	4	4	-	0.00507	-	0.01015	0.01015	-	-
82	31,141	2	0	3	3	-	0.00642	-	0.00963	0.00963	-	-
83	48,973	10	1	3	4	0	0.02041	0.00204	0.00612	0.00816	-	0
84	6,124	0	0	0	0	0	-	-	-	-	-	0
86	18,550	1	1	1	2	0	0.00539	0.00539	0.00539	0.01078	-	0
87	36,010	5	0	0	0	0	0.01388	-	-	-	-	0
92	81,871	5	2	4	6	0	0.0061	0.00244	0.00488	0.00732	-	0
96	2,181	0	0	0	0	-	-	-	-	-	-	0
111	47,001	2	1	1	2	0	0.00425	0.00212	0.00212	0.00425	-	0
113	10,458	0	0	0	0	0	-	-	-	-	-	0
全体	711,132	62	11	39	50	0	0.00871	0.00154	0.00548	0.00703	-	0
						max	0.02303	0.01216	0.02692	0.02692		0
						min	0.00291	0.00204	0.00212	0.00293		0






機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	1	1	-	-	-	0.00855	0.00855	-	-
14	34,315	6	0	1	1	0	0.01748	-	0.00291	0.00291	-	0
17	48,976	35	0	0	0	-	0.07146	-	-	-	-	-
22	5,323	0	0	1	1	0	-	-	0.01878	0.01878	-	0
24	60,207	12	0	2	2	-	0.01993	-	0.00332	0.00332	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	-
31	21,710	7	0	1	1	-	0.03224	-	0.0046	0.0046	-	-
32	3,714	0	0	0	0	0	-	-	-	-	-	-
37	6,433	14	0	3	3	1	0.21762	-	0.04663	0.04663	1:6433	33.33
40	34,100	26	0	1	1	-	0.07624	-	0.00293	0.00293	-	-
47	7,221	1	0	0	0	-	0.01384	-	-	-	-	-
48	7,738	3	0	1	1	1	0.03876	-	0.01292	0.01292	1:7738	100
49	9,473	4	0	0	0	-	0.04222	-	-	-	-	-
57	9,243	0	0	1	1	-	-	-	0.01081	0.01081	-	-
60	11,126	35	0	2	2	0	0.31457	-	0.01797	0.01797	-	0
64	10,659	2	0	0	0	0	0.01876	-	-	-	-	-
65	4,307	0	0	0	0	-	-	-	-	-	-	-
66	17,934	0	0	0	0	0	-	-	-	-	-	-
67	6,710	0	0	0	0	-	-	-	-	-	-	-
68	14,642	5	0	0	0	0	0.03414	-	-	-	-	-
69	11,082	5	0	0	0	0	0.04511	-	-	-	-	-
71	12,020	2	0	0	0	-	0.01663	-	-	-	-	-
73	8,724	0	0	0	0	-	-	-	-	-	-	-
75	10,047	0	0	0	0	0	-	-	-	-	-	-
76	16,439	3	0	0	0	0	0.01824	-	-	-	-	-
81	39,376	11	0	1	1	-	0.02793	-	0.00253	0.00253	-	-
82	31,141	6	0	1	1	0	0.01926	-	0.00321	0.00321	-	0
83	48,973	0	0	0	0	0	-	-	-	-	-	-
84	6,124	0	0	0	0	0	-	-	-	-	-	-
86	18,550	5	0	0	0	0	0.02695	-	-	-	-	-
87	36,010	19	0	0	0	0	0.05276	-	-	-	-	-
92	81,871	12	0	1	1	0	0.01465	-	0.00122	0.00122	-	0
96	2,181	0	0	0	0	-	-	-	-	-	-	-
111	47,001	8	0	0	0	0	0.01702	-	-	-	-	-
113	10,458	3	0	0	0	0	0.02868	-	-	-	-	-
全体	711,132	224	0	17	17	2	0.03149	0	0.00239	0.00239	1:355566	11.76
						max	0.31457		0.04663	0.04663		100
						min	0.01384		0.00122	0.00122		0

疾患別集計一覧 TMS疾患
MCAD欠損症：【2024年】度結果




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	2	2	-	-	-	0.0171	0.0171	-	-
14	34,315	0	1	0	1	1	-	0.00291	-	0.00291	1:34315	100
17	48,976	1	1	0	1	-	0.00204	0.00204	-	0.00204	-	-
22	5,323	0	0	0	0	-	-	-	-	-	-	-
24	60,207	1	6	1	7	-	0.00166	0.00996	0.00166	0.01162	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	-
31	21,710	3	2	0	2	-	0.01381	0.00921	-	0.00921	-	-
32	3,714	0	0	0	0	0	-	-	-	-	-	-
37	6,433	0	0	0	0	0	-	-	-	-	-	-
40	34,100	0	0	0	0	-	-	-	-	-	-	-
47	7,221	0	0	0	0	-	-	-	-	-	-	-
48	7,738	0	2	0	2	1	-	0.02584	-	0.02584	1:7738	50
49	9,473	0	0	0	0	-	-	-	-	-	-	-
57	9,243	0	0	0	0	-	-	-	-	-	-	-
60	11,126	0	0	0	0	0	-	-	-	-	-	-
64	10,659	1	0	0	0	0	0.00938	-	-	-	-	-
65	4,307	0	0	0	0	-	-	-	-	-	-	-
66	17,934	0	0	0	0	0	-	-	-	-	-	-
67	6,710	0	0	0	0	-	-	-	-	-	-	-
68	14,642	2	0	0	0	0	0.01365	-	-	-	-	-
69	11,082	1	0	0	0	0	0.00902	-	-	-	-	-
71	12,020	0	0	0	0	-	-	-	-	-	-	-
73	8,724	0	0	0	0	-	-	-	-	-	-	-
75	10,047	0	1	0	1	1	-	0.00995	-	0.00995	1:10047	100
76	16,439	0	1	0	1	1	-	0.00608	-	0.00608	1:16439	100
81	39,376	0	0	0	0	-	-	-	-	-	-	-
82	31,141	0	0	0	0	0	-	-	-	-	-	-
83	48,973	1	0	0	0	0	0.00204	-	-	-	-	-
84	6,124	1	0	0	0	0	0.01632	-	-	-	-	-
86	18,550	0	0	0	0	0	-	-	-	-	-	-
87	36,010	1	1	0	1	-	0.00277	0.00277	-	0.00277	-	-
92	81,871	2	1	2	3	1	0.00244	0.00122	0.00244	0.00366	1:81871	33.33
96	2,181	0	0	0	0	-	-	-	-	-	-	-
111	47,001	3	1	0	1	1	0.00638	0.00212	-	0.00212	1:47001	100
113	10,458	0	0	0	0	0	-	-	-	-	-	-
全体	711,132	17	17	5	22	6	0.00239	0.00239	0.00007	0.00309	1:118522	27.27
						max	0.01632	0.02584	0.0171	0.02584		100
						min	0.00166	0.00122	0.00166	0.00204		33.33

疾患別集計一覧 TMS疾患
VLCAD欠損症：【2024年】度結果




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	0	0	-	-	-	-	-	-	-
14	34,315	0	3	0	3	1	-	0.00874	-	0.00874	1:34315	33.33
17	48,976	15	0	0	0	-	0.03062	-	-	-	-	-
22	5,323	1	0	0	0	0	-	0.01878	-	-	-	-
24	60,207	0	11	0	11	-	-	0.01827	-	0.01827	-	-
25	5,611	0	1	0	1	0	-	0.01782	-	0.01782	-	0
31	21,710	10	8	0	8	1	0.04606	0.03684	-	0.03684	1:21710	12.5
32	3,714	0	0	0	0	0	-	-	-	-	-	-
37	6,433	0	0	0	0	0	-	-	-	-	-	-
40	34,100	6	0	1	1	-	0.01759	-	0.00293	0.00293	-	-
47	7,221	5	1	1	2	-	0.06924	0.01384	0.01384	0.02769	-	-
48	7,738	8	0	0	0	0	-	0.10338	-	-	-	-
49	9,473	2	0	0	0	0	-	0.02111	-	-	-	-
57	9,243	2	4	0	4	-	0.02163	0.04327	-	0.04327	-	-
60	11,126	0	0	0	0	0	-	-	-	-	-	-
64	10,659	2	0	0	0	0	0.01876	-	-	-	-	-
65	4,307	1	0	0	0	-	0.02321	-	-	-	-	-
66	17,934	0	2	0	2	0	-	0.01115	-	0.01115	-	0
67	6,710	0	0	0	0	0	-	-	-	-	-	-
68	14,642	2	0	0	0	0	0.01365	-	-	-	-	-
69	11,082	2	0	0	0	0	0.01804	-	-	-	-	-
71	12,020	0	2	0	2	1	-	0.01663	-	0.01663	1:12020	50
73	8,724	0	0	0	0	0	-	-	-	-	-	-
75	10,047	0	0	0	0	0	-	-	-	-	-	-
76	16,439	1	4	0	4	0	0.00608	0.02433	-	0.02433	-	0
81	39,376	1	2	0	2	1	0.00253	0.00507	-	0.00507	1:39376	50
82	31,141	2	2	0	2	2	0.00642	0.00642	-	0.00642	1:31141	50
83	48,973	22	0	0	0	0	0.04492	-	-	-	-	-
84	6,124	0	0	0	0	0	-	-	-	-	-	-
86	18,550	0	0	0	0	0	-	-	-	-	-	-
87	36,010	0	3	0	3	-	-	0.00833	-	0.00833	-	-
92	81,871	0	2	0	2	0	-	0.00244	-	0.00244	-	0
96	2,181	0	0	0	0	0	-	-	-	-	-	-
111	47,001	7	1	0	1	1	0.01489	0.00212	-	0.00212	1:47001	100
113	10,458	0	0	0	0	0	-	-	-	-	-	-
全体	711,132	89	46	2	48	6	0.01251	0.00646	0.00028	0.00674	1:118522	12.5
						max	0.10338	0.04327	0.01384	0.04327		100
						min	0.00253	0.00212	0.00293	0.00212		0

疾患別集計一覧 TMS疾患
三頭酵素欠損症：【2024年】度結果




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	0	0	-	-	-	-	-	-	-
14	34,315	0	0	0	0	0	-	-	-	-	-	-
17	48,976	1	0	0	0	-	0.00204	-	-	-	-	-
22	5,323	0	0	0	0	-	-	-	-	-	-	-
24	60,207	2	0	0	0	-	0.00332	-	-	-	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	-
31	21,710	0	0	0	0	-	-	-	-	-	-	-
32	3,714	0	3	0	3	0	-	0.08077	-	0.08077	-	0
37	6,433	0	0	0	0	0	-	-	-	-	-	-
40	34,100	0	0	0	0	-	-	-	-	-	-	-
47	7,221	1	1	0	1	-	0.01384	0.01384	-	0.01384	-	-
48	7,738	0	0	0	0	-	-	-	-	-	-	-
49	9,473	0	0	0	0	-	-	-	-	-	-	-
57	9,243	1	0	0	0	-	0.01081	-	-	-	-	-
60	11,126	0	0	0	0	0	-	-	-	-	-	-
64	10,659	0	0	0	0	0	-	-	-	-	-	-
65	4,307	1	0	0	0	-	0.02321	-	-	-	-	-
66	17,934	0	0	0	0	0	-	-	-	-	-	-
67	6,710	0	0	0	0	-	-	-	-	-	-	-
68	14,642	0	0	0	0	0	-	-	-	-	-	-
69	11,082	0	0	0	0	0	-	-	-	-	-	-
71	12,020	0	0	0	0	-	-	-	-	-	-	-
73	8,724	0	0	0	0	-	-	-	-	-	-	-
75	10,047	0	0	0	0	0	-	-	-	-	-	-
76	16,439	0	0	0	0	0	-	-	-	-	-	-
81	39,376	0	0	0	0	-	-	-	-	-	-	-
82	31,141	0	0	0	0	0	-	-	-	-	-	-
83	48,973	1	0	0	0	0	0.00204	-	-	-	-	-
84	6,124	0	0	0	0	0	-	-	-	-	-	-
86	18,550	0	0	0	0	0	-	-	-	-	-	-
87	36,010	0	2	0	2	-	-	0.00555	-	0.00555	-	-
92	81,871	0	0	0	0	0	-	-	-	-	-	-
96	2,181	0	0	0	0	-	-	-	-	-	-	-
111	47,001	0	0	0	0	0	-	-	-	-	-	-
113	10,458	0	0	0	0	0	-	-	-	-	-	-
全体	711,132	7	6	0	6	0	0.00098	0.00084	0	0.00084	-	0
						max	0.02321	0.08077		0.08077		0
						min	0.00204	0.00555		0.00555		0

疾患別集計一覧 TMS疾患
CPT1欠損症：【2024年】度結果




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	0	0	-	-	-	-	-	-	-
14	34,315	0	0	0	0	0	-	-	-	-	-	-
17	48,976	1	0	1	1	-	0.00204	-	0.00204	0.00204	-	-
22	5,323	0	0	0	0	-	-	-	-	-	-	-
24	60,207	0	0	0	0	-	-	-	-	-	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	-
31	21,710	1	0	0	0	-	0.0046	-	-	-	-	-
32	3,714	0	0	0	0	0	-	-	-	-	-	-
37	6,433	0	0	0	0	0	-	-	-	-	-	-
40	34,100	0	0	0	0	-	-	-	-	-	-	-
47	7,221	0	0	0	0	-	-	-	-	-	-	-
48	7,738	0	0	1	1	-	-	-	0.01292	0.01292	-	-
49	9,473	0	0	2	2	-	-	-	0.02111	0.02111	-	-
57	9,243	0	0	0	0	-	-	-	-	-	-	-
60	11,126	0	0	1	1	0	-	-	0.00898	0.00898	-	0
64	10,659	0	0	0	0	0	-	-	-	-	-	-
65	4,307	0	0	0	0	-	-	-	-	-	-	-
66	17,934	0	0	0	0	0	-	-	-	-	-	-
67	6,710	0	0	0	0	-	-	-	-	-	-	-
68	14,642	0	0	0	0	0	-	-	-	-	-	-
69	11,082	0	0	0	0	0	-	-	-	-	-	-
71	12,020	0	0	0	0	-	-	-	-	-	-	-
73	8,724	0	0	0	0	-	-	-	-	-	-	-
75	10,047	0	0	0	0	0	-	-	-	-	-	-
76	16,439	1	0	1	1	0	0.00608	-	0.00608	0.00608	-	0
81	39,376	1	0	0	0	-	0.00253	-	-	-	-	-
82	31,141	0	0	0	0	0	-	-	-	-	-	-
83	48,973	0	0	0	0	0	-	-	-	-	-	-
84	6,124	1	0	0	0	0	0.01632	-	-	-	-	-
86	18,550	0	0	0	0	0	-	-	-	-	-	-
87	36,010	0	0	0	0	0	-	-	-	-	-	-
92	81,871	1	0	0	0	0	0.00122	-	-	-	-	-
96	2,181	0	0	0	0	-	-	-	-	-	-	-
111	47,001	1	0	0	0	0	0.00212	-	-	-	-	-
113	10,458	1	0	0	0	0	0.00956	-	-	-	-	-
全体	711,132	8	0	6	6	0	0.00112	0	0.00084	0.00084	-	0
						max	0.01632		0.02111	0.02111		0
						min	0.00122		0.00204	0.00204		0

疾患別集計一覧 TMS疾患
CPT2欠損症：【2024年】度結果




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	0	0	-	-	-	-	-	-	-
14	34,315	0	0	0	0	0	-	-	-	-	-	-
17	48,976	15	0	1	1	-	0.03062	-	0.00204	0.00204	-	-
22	5,323	0	0	0	0	-	-	-	-	-	-	-
24	60,207	4	0	0	0	-	0.00664	-	-	-	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	-
31	21,710	4	1	0	1	-	0.01842	0.0046	-	0.0046	-	-
32	3,714	0	1	0	1	0	-	0.02692	-	0.02692	-	0
37	6,433	0	1	0	1	0	-	0.01554	-	0.01554	-	0
40	34,100	0	3	0	3	-	-	0.00879	-	0.00879	-	-
47	7,221	0	0	0	0	-	-	-	-	-	-	-
48	7,738	0	0	0	0	0	-	-	-	-	-	-
49	9,473	4	0	1	1	-	0.04222	-	0.01055	0.01055	-	-
57	9,243	0	0	0	0	-	-	-	-	-	-	-
60	11,126	0	0	0	0	0	-	-	-	-	-	-
64	10,659	0	2	0	2	0	-	0.01876	-	0.01876	-	0
65	4,307	0	0	0	0	-	-	-	-	-	-	-
66	17,934	0	1	0	1	0	-	0.00557	-	0.00557	-	0
67	6,710	0	1	0	1	-	-	0.0149	-	0.0149	-	-
68	14,642	1	1	0	1	0	0.00682	0.00682	-	0.00682	-	0
69	11,082	1	0	0	0	0	0.00902	-	-	-	-	-
71	12,020	0	0	0	0	-	-	-	-	-	-	-
73	8,724	0	0	0	0	-	-	-	-	-	-	-
75	10,047	0	0	0	0	0	-	-	-	-	-	-
76	16,439	1	0	0	0	0	0.00608	-	-	-	-	-
81	39,376	1	3	0	3	-	0.00253	0.00761	-	0.00761	-	-
82	31,141	0	1	0	1	0	-	0.00321	-	0.00321	-	0
83	48,973	0	2	0	2	2	-	0.00408	-	0.00408	1:24487	100
84	6,124	0	0	1	1	0	-	-	0.01632	0.01632	-	0
86	18,550	0	2	0	2	0	-	0.01078	-	0.01078	-	0
87	36,010	0	3	0	3	-	-	0.00833	-	0.00833	-	-
92	81,871	1	2	1	3	0	0.00122	0.00244	0.00122	0.00366	-	0
96	2,181	1	0	0	0	-	0.04585	-	-	-	-	-
111	47,001	0	0	0	0	0	-	-	-	-	-	-
113	10,458	0	0	0	0	0	-	-	-	-	-	-
全体	711,132	33	24	4	28	2	0.00464	0.00337	0.00056	0.00393	1:355566	7.14
						max	0.04585	0.02692	0.01632	0.02692		100
						min	0.00122	0.00244	0.00122	0.00204		0


疾患別集計一覧 TMS疾患
シトリン欠損症：【2024年】度結果




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	6	0	2	2	-	0.05131	-	0.0171	0.0171	-	-
14	34,315	0	0	0	0	0	-	-	-	-	-	-
17	48,976	0	0	0	0	1	-	-	-	-	1:48976	-
22	5,323	0	0	0	0	0	-	-	-	-	-	-
24	60,207	1	0	0	0	-	0.00166	-	-	-	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	-
31	21,710	0	0	0	0	-	-	-	-	-	-	-
32	3,714	0	0	0	0	0	-	-	-	-	-	-
37	6,433	0	0	0	0	0	-	-	-	-	-	-
40	34,100	0	0	0	0	-	-	-	-	-	-	-
47	7,221	0	0	0	0	-	-	-	-	-	-	-
48	7,738	0	0	0	0	0	-	-	-	-	-	-
49	9,473	0	0	0	0	-	-	-	-	-	-	-
57	9,243	-	-	-	0	-	-	-	-	0	-	-
60	11,126	0	0	0	0	0	-	-	-	-	-	-
64	10,659	0	0	0	0	0	-	-	-	-	-	-
65	4,307	0	0	0	0	-	-	-	-	-	-	-
66	17,934	0	0	0	0	1	-	-	-	-	1:17934	-
67	6,710	0	0	0	0	-	-	-	-	-	-	-
68	14,642	0	0	0	0	-	-	-	-	-	-	-
69	11,082	0	0	1	1	0	-	-	0.00902	0.00902	-	0
71	12,020	3	0	0	0	-	0.02495	-	-	-	-	-
73	8,724	0	0	0	0	-	-	-	-	-	-	-
75	10,047	0	0	0	0	0	-	-	-	-	-	-
76	16,439	1	0	6	6	1	0.00608	-	0.03649	0.03649	1:16439	16.67
81	39,376	0	0	0	0	-	-	-	-	-	-	-
82	31,141	13	0	1	1	-	0.04174	-	0.00321	0.00321	-	-
83	48,973	0	0	0	0	0	-	-	-	-	-	-
84	6,124	0	0	0	0	0	-	-	-	-	-	-
86	18,550	0	0	0	0	-	-	-	-	-	-	-
87	36,010	2	0	2	2	-	0.00555	-	0.00555	0.00555	-	-
92	81,871	0	0	0	0	1	-	-	-	-	1:81871	-
96	2,181	0	0	0	0	-	-	-	-	-	-	-
111	47,001	0	0	0	0	-	-	-	-	-	-	-
113	10,458	0	0	0	0	0	-	-	-	-	-	-
全体	711,132	26	0	12	12	4	0.00365	0	0.00168	0.00168	1:177783	33.33
						max	0.05131		0.03649	0.03649		16.67
						min	0.00166		0.00321	0		0




機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	0	0	-	-	-	-	-	-	-
14	34,315	0	0	0	0	0	-	-	-	-	-	-
17	48,976	2	0	0	0	-	0.00408	-	-	-	-	-
22	5,323	0	0	0	0	-	-	-	-	-	-	-
24	60,207	0	0	0	0	-	-	-	-	-	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	-
31	21,710	0	0	0	0	-	-	-	-	-	-	-
32	3,714	0	0	0	0	0	-	-	-	-	-	-
37	6,433	0	0	0	0	0	-	-	-	-	-	-
40	34,100	0	0	0	0	-	-	-	-	-	-	-
47	7,221	1	1	0	1	-	0.01384	0.01384	-	0.01384	-	-
48	7,738	0	0	0	0	-	-	-	-	-	-	-
49	9,473	0	0	0	0	-	-	-	-	-	-	-
57	9,243	-	-	-	0	-	-	-	-	0	-	-
60	11,126	0	0	0	0	0	-	-	-	-	-	-
64	10,659	0	0	0	0	0	-	-	-	-	-	-
65	4,307	0	0	0	0	-	-	-	-	-	-	-
66	17,934	0	0	0	0	0	-	-	-	-	-	-
67	6,710	0	0	0	0	-	-	-	-	-	-	-
68	14,642	0	0	0	0	-	-	-	-	-	-	-
69	11,082	0	0	0	0	0	-	-	-	-	-	-
71	12,020	0	0	0	0	-	-	-	-	-	-	-
73	8,724	0	0	0	0	-	-	-	-	-	-	-
75	10,047	0	0	0	0	0	-	-	-	-	-	-
76	16,439	-	-	-	0	-	-	-	-	0	-	-
81	39,376	0	0	0	0	-	-	-	-	-	-	-
82	31,141	1	0	0	0	0	0.00321	-	-	-	-	-
83	48,973	0	0	0	0	0	-	-	-	-	-	-
84	6,124	0	0	0	0	0	-	-	-	-	-	-
86	18,550	0	0	0	0	-	-	-	-	-	-	-
87	36,010	0	0	0	0	0	-	-	-	-	-	-
92	81,871	0	0	0	0	0	-	-	-	-	-	-
96	2,181	0	0	0	0	-	-	-	-	-	-	-
111	47,001	0	0	0	0	-	-	-	-	-	-	-
113	10,458	0	0	0	0	0	-	-	-	-	-	-
全体	711,132	4	1	0	1	0	0.00056	0.00014	0	0.00014	-	0
						max	0.01384	0.01384		0.01384		
						min	0.00321	0.01384		0		



機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	0	0	-	-	-	-	-	-	-
14	34,315	0	1	0	1	1	-	0.00291	-	0.00291	1:34315	100
17	48,976	6	0	0	0	-	0.01225	-	-	-	-	-
22	5,323	0	0	0	0	-	-	-	-	-	-	-
24	60,207	0	1	0	1	-	-	0.00166	-	0.00166	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	-
31	21,710	0	0	0	0	-	-	-	-	-	-	-
32	3,714	0	0	0	0	0	-	-	-	-	-	-
37	6,433	0	0	0	0	0	-	-	-	-	-	-
40	34,100	0	0	0	0	-	-	-	-	-	-	-
47	7,221	1	0	1	1	-	0.01384	-	0.01384	0.01384	-	-
48	7,738	0	0	0	0	-	-	-	-	-	-	-
49	9,473	0	0	0	0	-	-	-	-	-	-	-
57	9,243	-	-	-	0	-	-	-	-	0	-	-
60	11,126	0	0	0	0	0	-	-	-	-	-	-
64	10,659	0	0	0	0	0	-	-	-	-	-	-
65	4,307	0	0	0	0	-	-	-	-	-	-	-
66	17,934	0	0	0	0	0	-	-	-	-	-	-
67	6,710	0	0	0	0	-	-	-	-	-	-	-
68	14,642	0	0	0	0	-	-	-	-	-	-	-
69	11,082	3	0	0	0	0	0.02707	-	-	-	-	-
71	12,020	0	0	0	0	-	-	-	-	-	-	-
73	8,724	0	0	0	0	-	-	-	-	-	-	-
75	10,047	0	0	0	0	0	-	-	-	-	-	-
76	16,439	0	1	0	1	0	-	0.00608	-	0.00608	-	0
81	39,376	0	0	0	0	-	-	-	-	-	-	-
82	31,141	0	2	0	2	-	-	0.00642	-	0.00642	-	-
83	48,973	0	0	0	0	0	-	-	-	-	-	-
84	6,124	0	0	0	0	0	-	-	-	-	-	-
86	18,550	0	0	0	0	-	-	-	-	-	-	-
87	36,010	3	1	0	1	-	0.00833	0.00277	-	0.00277	-	-
92	81,871	0	1	0	1	0	-	0.00122	-	0.00122	-	0
96	2,181	0	0	0	0	-	-	-	-	-	-	-
111	47,001	0	0	0	0	-	-	-	-	-	-	-
113	10,458	0	0	0	0	0	-	-	-	-	-	-
全体	711,132	13	7	1	8	1	0.00182	0.00098	0.00014	0.00112	1:711132	12.5
						max	0.02707	0.00642	0.01384	0.01384		100
						min	0.00833	0.00122	0.01384	0		0



疾患別集計一覧 TMS疾患
CACT欠損症：【2024年】度結果



機器No.□	検体数□	再採血数	即精検数	再採血後 精検数	総精検数	発見患者数	再採血率	即精検率	再採血後 精検率	総精検率	発見頻度	陽性適中率 (PPV)
8	11,693	0	0	0	0	-	-	-	-	-	-	-
14	34,315	0	0	0	0	0	-	-	-	-	-	-
17	48,976	0	0	0	0	-	-	-	-	-	-	-
22	5,323	0	0	0	0	-	-	-	-	-	-	-
24	60,207	0	0	0	0	-	-	-	-	-	-	-
25	5,611	0	0	0	0	0	-	-	-	-	-	-
31	21,710	0	0	0	0	-	-	-	-	-	-	-
32	3,714	0	0	0	0	0	-	-	-	-	-	-
37	6,433	0	0	0	0	0	-	-	-	-	-	-
40	34,100	0	0	0	0	-	-	-	-	-	-	-
47	7,221	0	0	0	0	-	-	-	-	-	-	-
48	7,738	0	0	0	0	-	-	-	-	-	-	-
49	9,473	0	0	0	0	-	-	-	-	-	-	-
57	9,243	-	-	-	0	-	-	-	-	0	-	-
60	11,126	0	0	0	0	0	-	-	-	-	-	-
64	10,659	0	0	0	0	0	-	-	-	-	-	-
65	4,307	0	0	0	0	-	-	-	-	-	-	-
66	17,934	0	1	0	1	0	-	0.00557	-	0.00557	-	0
67	6,710	0	0	0	0	-	-	-	-	-	-	-
68	14,642	0	0	0	0	-	-	-	-	-	-	-
69	11,082	1	0	0	0	0	0.00902	-	-	-	-	-
71	12,020	0	0	0	0	-	-	-	-	-	-	-
73	8,724	0	0	0	0	-	-	-	-	-	-	-
75	10,047	0	0	0	0	0	-	-	-	-	-	-
76	16,439	-	-	-	0	-	-	-	-	0	-	-
81	39,376	0	0	0	0	-	-	-	-	-	-	-
82	31,141	0	1	0	1	0	-	0.00321	-	0.00321	-	0
83	48,973	0	0	0	0	0	-	-	-	-	-	-
84	6,124	0	0	1	1	0	-	-	0.01632	0.01632	-	0
86	18,550	0	0	0	0	-	-	-	-	-	-	-
87	36,010	0	0	0	0	-	-	-	-	-	-	-
92	81,871	0	0	0	0	0	-	-	-	-	-	-
96	2,181	0	0	0	0	-	-	-	-	-	-	-
111	47,001	0	0	0	0	-	-	-	-	-	-	-
113	10,458	0	0	0	0	0	-	-	-	-	-	-
全体	711,132	1	2	1	3	0	0.00014	0.00028	0.00014	0.00042	-	0
						max	0.00902	0.00557	0.01632	0.01632		0
						min	0.00902	0.00321	0.01632	0		0